DOCUMENT RESUME

ED 069 986

AC 014 040

TITLE Positive and Negative Numbers: Level I, Unit 6,

Lesson 1; States of Matter: Lesson 2; Properties and Measures of Matter: Lesson 3; Energy, Matter, Theory and Law: Lesson 4; The Particles and Structure of Matter: Lesson 5. Advanced General Education Program.

A High School Self-Study Program.

INSTITUTION Manpower Administration (DOL), Washington, D. C. Job

Corps.

REPORT NO PM-431-17; PM-431-18; PM-431-19; PM-431-20;

PM-431-21

PUB DATE Nov 69

NOTE 199p.

EDRS PRICE

MF-\$0.65 HC-\$6.58

DESCRIPTORS *Educational Programs; *General Education; *High

Schools; *Independent Study; Literary Criticism;

Mathematics; Matter; Natural Sciences; *Numbers; Self

Expression; Social Studies; Tests

ABSTRACT

An advanced General Education Program has been designed to prepare an individual with the information concepts, and general knowledge required to successfully pass the American Council on Education's High School General Education Development (GED) Test. The Advanced General Education Program provides comprehensive self-instruction in each of the following areas: (1) Correctness and effectiveness of Expression, (2) Social Studies, (3) Natural Sciences, (4) Interpretation of Literary Materials, and (5) General Mathematics. This document covers positive and negative numbers; states of matter: solid, liquid, gas; properties and measures of matter; energy, matter, theory, and law; and the particles and structure of matter. (CK)

U.S. OEPARTMENT OF HEALTH.
EOUCATION & WELFARE
OFFICE OF EOUCATION
THIS OOCUMENT HAS BEEN REPRO
OUCEO EXACTLY AS RECEIVEO FROM
THE PERSON OR ORGANIZATION ORIGINATING IT POINTS OF VIEW OR OPINIONS STATEO OO NOT NECESSARILY
REPRESENT OFFICIAL OFFICE OF EOUCATION POSITION OR POLICY

ADVANCED GENERAL EDUCATION PROGRAM

A HIGH SCHOOL SELF-STUDY PROGRAM

POSITIVE AND NEGATIVE NUMBERS


LEVEL:

UNIT:

LESSON: 1



U.S. DEPARTMENT OF LABOR MANPOWER ADMINISTRATION, JOB CORPS **NOVEMBER 1969**




·	
1.	
PREVIEW FRAME The frames that follow will teach you how to add, subtract, multiply, and divide a new kind of number. Those new numbers will be useful to you in your next lesson on matter and energy.	
NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME
2.	
Below is a line with numbers marked off on it.	
Two numbers have been filled in. You FILL IN the five missing numbers:	
, 2	0 1 2 3 4 5 6
3.	
Below is a line with numbers marked off. The numbers shown to the left of zero have a:	
+ (plus sign) in front - (minus sign) in front Again, FILL IN the missing numbers:	- (minus sign) in front
nga, ribb in the missing numbers:	·
-6 -1 0 1 2 3 4 5 6	-5 -4 -3 -2
į	

4.	
-4 -3 -2 -1 0 1 2 3 4 5	
Do the numbers to the left of zero have a plus or minus sign?	,
plus sign minus sign	minus sign
5.	·
Numbers to the left of zero on the line are called "negative" numbers.	
Those to the right of zero are called "positive" numbers.	
What kind of sign goes in front of a negative number?	
- - -	-
CIRCLE the negative numbers shown below:	
-5 -4 -3 -2 -1 0 1 2 3 4 5	GGGGG 6 1 3 4 6
Which number is neither positive nor negative?	0
·	

ERIC

*Full Text Provided by ERIC

Lesson l: - Mastery Test



A.
$$10 + (-5) =$$

ے

B.
$$16 - (+8) =$$

C.
$$16 \times (-2) =$$

$$-30 \times (-5) =$$

D.
$$50 \div (-5) =$$

E. Which of the following numbers is greatest, and which is least?

Greatest ____

Least

Time completed ____

WHEN YOU HAVE FINISHED THIS TEST, WRITE DOWN THE TIME. THEN TAKE THE LESSON TO YOUR INSTRUCTOR OR HIS ASSISTANT FOR CHECKING. WAIT UNTIL THE LESSON IS APPROVED BEFORE GOING ON TO THE NEXT LESSON.

471



MASTERY TEST

Time started _____



9.	
-5 -4 -3 -2 -1 O +1 Z 3 +4 5	
LOOK AT the number line above.	
Which do you think is true?	
Negative numbers are always written with a minus sign.	Negative numbers are always
Negative numbers are sometimes written with a minus sign.	
Which do you think is true?	
Fositive numbers are always written with a plus sign.	
Positive numbers are sometimes written with a plus sign.	are sometimes written
10.	
Let's review what we now know about + and	·
A plus (+) sign between two numbers (3+2=5) means	add
A minus sign (-) between two numbers (3-2=1) means that the second number is to be from the first.	subtracted
A number to the right of 0 on the number line may be written with or without the plus sign. Example: +3 and 3. These are called numbers.	positive
A number to the left of 0 on the number line such as -2 or -6 is called a number.	negative
·	



PANEL 1

MATH 1

11.	
What word or words explains what each <u>circled</u> symbol means? (The first two have been done for you as examples.)	
5 (-7) add	
-6 + 8 <u>negative number</u>	
12 🔾 (-2)	subtract
5 🕀 (-7)	add
-6 + 6	positive number
-7 - (-12)	negative number
- right and righ	
12.	
REFER TO PANEL 1 (Page 5).	
If you have no money at all, what number on the number line would represent this?	0
If you have five dollars, what number represents this?	+5
If you have no money, but you owe someone two dollars, what number represents this?	-2
13.	
REFER TO PANEL 1	
Suppose you have four dollars. Then you get paid twenty dollars. What number would show how much you have altogether?	+24
Suppose you have no dollars. You borrow thirty dollars from a friend, what number will show how much	
you owe?	-30
	1

- :

:



MULTIPLYING AND DIVIDING POSITIVE AND NEGATIVE NUMBERS

if the signs of <u>both</u> numbers to be multiplied or divided are the <u>same</u>, the result (answer) is always <u>positive</u>

EXAMPLES:
$$(+6) \times (+2) = +12$$

 $(-6) \times (-2) = +12$

$$(+6) \div (+2) = +3$$

 $(-6) \div (-2) = +3$

if the signs of the numbers to be multiplied or divided are <u>different</u>, the result (answer) is always <u>negative</u>

EXAMPLES:
$$(+6) \times (-2) = -12$$

$$(-6) \times (+2) = -12$$

$$(+6) \div (-2) = -3$$

$$(-6) \div (+2) = -3$$



14.	
If you have one hundred dollars in your pocket, what number stands for this?	+100
If you have no money and you owe someone one hundred dollars, what number represents this?	-100
15.	
REFER TO PANEL 1	
When do you have more money?	
when you have +5 when you have +10	ສ when you have +10
When do you have <u>less</u> money?	
when you owe \$2 (-2) when you owe \$4 (-4)	when you owe \$4 (-4)
As you get more and more money, which way do you count on the number line?	
to the left of zero to the right of zero	to the right of zero
As you owe more and more money, which way do you count on the number line?	·
to the left of zero to the right of zero	to the left of zero
	· ·
•	
-	
·	

ERIC

POSITIVE NUMBERS

NEGATIVE NUMBERS

numbers larger than zero

these numbers are written with or without a plus (+) sign

EXAMPLES: +3 or 3

numbers smaller than zero

these numbers are always written with a minus (-) sign

EXAMPLES: -3, -6, -23, etc.

ADDING POSITIVE AND NEGATIVE NUMBERS

if a problem has an addition (+) sign in front of a positive number, you add the numbers

EXAMPLE: 8 + (+1) = 8 + 1 = 9

if a problem has an addition (+) sign in front of a negative number, you subtract the second number from the first

EXAMPLE: 8 + (-1) = 8 - 1 = 7

SUBTRACTING POSITIVE AND NEGATIVE NUMBERS

if a problem has a subtraction (-) sign in front of a negative number, you add the numbers

EXAMPLE: 8 - (-1) = 8 + 1 = 9

if a number has a subtraction (-) sign in front of a positive number, you subtract the second number from the first

EXAMPLE: 8 - (+1) = 8 - 1 = 7



16. REFER TO PANEL 1 IF NECESSARY Which way do you count on the number line as you get more and more money? left right right Which way do you count so that the numbers get larger and larger? left right right 17. DRAW AN ARROW (or) under the number line to show which way you count to show less and less of something. 18. Let's add two positive numbers (2 + 5) using the number line. The first two steps have been done for you. 1. LOCATE the first number (2) on the number line. 2. COUNT 5 units going to the right. 3. CIRCLE the answer on the number line. First number



REFER TO PANEL 1 IF NECESSARY.

SOLVE, as indicated:

$$5 \times -12 =$$

$$-9 \times -5 =$$

34

19

-60

6

45

-12

58


150

Time completed


YOU HAVE NOW FINISHED THE FIRST PART OF THIS LESSON. WRITE DOWN THE TIME. THEN, AFTER YOU HAVE REVIEWED THE MAIN IDEAS IN THE FOLLOWING SUMMARY, TAKE THE MASTERY TEST AT THE END OF THE BOOKLET.

COMPLETE the following addition problem using the number line. CIRCLE your answer.

$$(-3) + 2$$



2 units




20.


In both of the previous examples the number you were adding was a positive number, and you therefore counted moving to the right. In the next problem you will be adding a negative number.

ADD 6 and -5 by following the step by step instructions given below:

- 1. LOCATE the first number (6) on the number line.
- 2. COUNT OFF 5 units going to the left.
- 3. CIRCLE the answer on the number line.



- 5 units






50.				
-10 ÷ -2 = 5	÷ -2 = -5	!		
10 - (-2) = 12 $10 - (+2) = 8$	3 2 - (+	10) = -8		
10 x (+2) = 20	x (-2) = 2	0		
ANSWER the questions below be positive or negative column. Refer to the problems above as	(You may c	heck both.)		
	Positive	Negative		
If you divide a positive number by a negative number is the answer positive or negative?				
If you subtract a positive number from another positive number, is the answer positive or negative?				
If you subtract a negative number from a positive number is the answer positive or negative?				,
If both the number you are multiplying by and the number you are multiplying are positive is the answer				4
positive or negative?				
If you divide a negative number by a negative number is the answer positive or negative?			x 🗆	
				ļ
				28


ADD -3 and -3 by following the step-by-step instructions given below:

- 1. LOCATE the first number (-3) on the number line.
- COUNT OFF 3 units going to the left.
- 3. CIRCLE the answer on the number line.

$$-3 + (-3)$$



-3 units




first number


22.

ADD these numbers using the number line:

$$(-1) + (-2)$$




- 2 units




23.

ADD these numbers using the number line:

$$(-4) + 4$$



4 units



SOLVE, as indicated.

-40

_1

5

5

l 6

1.5

REFER TO PANEL 1

The panel shows a number line extending 12 units to the left and right of 0. USE it to help solve these problems.

To add a positive number to a given number, count off the number to the right of the given number.

To add a negative number to a given number, count off the number to the left of the given number.

ADD the pairs of numbers below. The first two problems have been done for you.

$$2 + 5 = 7$$

$$3 + 3 = 6 -3 + (-3) = -6$$

25.

REFER TO PANEL 1 to solve these problems.

ADD:

Ÿ

RULE:

If the signs of both numbers to be multiplied or divided are the <u>same</u>, the product or quotient is <u>positive</u>. If the signs are <u>different</u>, the product or quotient is <u>negative</u>.

MULTIPLY or DIVIDE, as indicated, keeping in mind the rule above. The first two have been done for you as examples.

$$-4 \times 5 = -20$$

$$12 \div 2 = 6$$

$$(-8) \times (-1) =$$

$$6 \times (-2) =$$

$$5 \times (-3) =$$

$$-9 \div (+3) = ____$$

• 8

-12

-15

-3

48.

Rule 1: If the signs of both numbers to be multiplied or divided are the same, the answer will be positive.

MULTIPLY or DIVIDE as indicated:

$$9 \times (-2) =$$

$$-45 \div 9 =$$

$$+24 \div 6 =$$

$$(-18) \div (-9) = ____$$

-18

-5

4

-9

52

-17

-86

26.

ADD:

27.

-5 + (-4) =

60 + (-8) =

-72 + (-14) =

-26 + 9

REFER TO PANEL 1 to solve these problems.

You have learned how to add positive and negative

Now we will see how to multiply (x) and divide (x)positive and negative numbers.

LOOK AT these examples:

$$(+6)$$
 x $(+2)$ = +12

$$(+6) \div (+2) = +3$$

$$(-6) \times (-2) = +12$$

$$(-6) \div (-2) = +3$$

$$(+6)$$
 x (-2) = -12

$$(+6) + (-2) = -3$$

$$(-6)$$
 x $(+2)$ = -12

$$(-6) \div (+2) = -3$$

From these examples, see if you can find the rules.

RULES. 1. If the signs of both numbers to be multiplied or divided are the same, the result (product or quotient) is:

- negative positive

2. If the signs of the numbers to be multiplied or divided are different, the result (product or quotient)

- negative
- positive

positive

negative

MATCH these problems:

A.
$$5 + (+3) = 8$$

B.
$$5 + (-3) = 2$$

C.
$$5 - (+3) = 2$$

D.
$$5 - (-3) = 8$$

1. B, C

2. A, D

44.	
REFER TO PANEL 1	
The amount of money a man has may also be represented on a number line.	
If he has \$10 in his pocket, that amount could be represented as 10 units to the of zero.	right
On the other hand, if the man has no money at all, the amount would then be represented by	· ·
Should the man suddenly owe someone else \$10, he would have even less money than the nothing in his pocket, that is, his money would then be represented	
by on the number line.	-10
45.	
If a man has \$5 in his pocket and unknowingly has a \$10 dinner in a restaurant, he then owes after paying the money he already has.	· \$5
If the man is \$10 in debt and then receives another bill for \$10, he is then "in the red."	\$20
·	
·	
·	
	ĺ

29. A. 5 + (-3) = 2Problem A above contains: one minus sign one minus sign one plus sign one plus sign two minus signs two plus signs Problem B above contains: one minus sign one minus sign one plus sign one plus sign two minus signs two plus signs Problem C above contains: one minus sign one plus sign two minus signs two plus signs two plus signs Problem D above contains: one minus sign one plus sign two minus signs two minus signs two plus signs Problems A and B are the same as: Problems C and D are the same as: 5 - 3 = 25. + 3 = 8

42. The thermometer shown above may be regarded as a number line, with temperatures below 0° similar to the numbers to the _____ of zero on the number left Therefore, a temperature of 10° below zero would appear as a -10 on the thermometer's number line. Where would a temperature of 10° above zero appear on its number 10 to the right of 0 line? (or equivalent response) We know that a temperature of 40° is warmer than one of 30° . That is, 40° would appear to the _____ right of 30° on the number line. Also, a temperature of -5° is warmer than one of -10° . That is, -5° appears to the ____ of -10° on right the number line. 43. REFER TO PANEL 1 Subtracting temperatures is just like subtracting positive and negative numbers on the number line. How many degrees more is 30° than 15°? 150 What is the difference in degrees between 200 and 30° By how much is -5° warmer than -20°? 150

30.		
	A. $7 + (-4) = 3$ B. $7 - (+4) = 3$ E. $7 - 4 = 3$	
	C. $7 + (+4) = 11$ D. $7 - (-4) = 11$ F. $7 + 4 = 11$	
Proble	m A above has:	
0000	one minus sign one plus sign two minus signs two plus signs	one minus sign one plus sign
Proble have:	m A can be rewritten as Problem E. Then it would	
	one minus sign one plus sign two minus signs two plus signs	one minus sign
Proble	m B above has:	
	one minus sign one plus sign two minus signs two plus signs	one minus sign one plus sign
Problem have:	m B can be rewritten as Problem E. Then it would	
	one minus sign one plus sign two minus signs two plus signs	one minus sign
	·	
	·	
	-	



40.	
REFER TO PANEL 1	
SOLVE, as indicated:	
-23 + (-20) =	-43
6 + (-33) =	-27
-17 - 10 =	-27
•	
41.	
REFER TO PANEL 1	
SOLVE, as indicated:	
29 + (-6) =	23
17 + 26 =	43
35 - (+9) =	26
-15 + 12 =	-3
	,
·	1

22 .

31	1.	
	A. $7 + (-4) = \overline{3}$ B. $7 - (+4) = 3$ E. $7 - 4 = 3$	
	C. $7 + (+4) = 11$ D. $7 - (-4) = 11$ F. $7 + 4 = 11$	
Pro	oblem C above has:	Ì
	 one minus sign one plus sign two minus signs two plus signs 	two plus signs
Pro ha	oblem C can be rewritten as Problem F. Then it would ve:	
	☐ one minus sign ☐ one plus sign ☐ two minus signs ☐ two plus signs	one plus sign
Pro	oblem D above has:	
	☐ one minus sign ☐ one plus sign ☐ two minus signs ☐ two plus signs	two minus signs
Pro hav	oblem D can be rewritten as Problem F. Then it would ve:	
	☐ one minus sign ☐ one plus sign ☐ two minus signs ☐ two plus signs	one plus sign
	·	
	,	ł



merchanistic and the property and the first

_	_	
- 7	×	
·	v	1

REFER TO PANEL 1 IF NECESSARY

SOLVE:

39.

REFER TO PANEL 1

Now we will do mixed problems of addition and subtraction, using the number line as required.

Now, SOLVE these problems as indicated: (The first two have been done for you as examples.)

$$8 - 4 = 4$$

$$8 + 4 = 12$$

A.
$$7 + (-4) = 3$$

B. $7 - (+4) = 3$
E. $7 - 4 = 3$

C.
$$7 + (+4) = 11$$

D. $7 - (-4) = 11$ F. $7 + 4 = 11$

LOOK A'r the problems above to complete the problems below and WRITE the answer to each problem:

A.	8 + (+1) =	
В.	8 - (+1) =	
C.	8 - (-1) =	
D.	8 + (-1) =	

8	+	l	=	9
8	_	1	=	7

$$8 + 1 = 9$$

 $8 - 1 = 7$

R

36.

REFER TO PANEL 1

Subtracting any number on the number line is the same as changing its sign and adding.

Perform the following subtractions. (The first two have been done for you.)

$$-4$$
 - (-8) = -4 + 8 = 4

$$6 - (-2) = 6 + 2 = 8$$

-3

13

3

37.

REFER TO PANEL 1 IF NECESSARY

SUBTRACT:

2

8

-1

33.				
A. 8 + (-1) = 8 - 1 = 7 B. 8 - (+1) = 8 - 1 = 7 C. 8 + (+1) = 8 + 1 = 9 D. 8 - (-1) = 8 + 1 = 9	·			
LOOK AT the problems above to answer the questions below:				
If a problem has an addition sign in front of a positive number you:				
add the numberssubtract the second number from the first	add the numbers			
If a problem has an addition sign in front of a negative number you:				
add the numbers subtract the second number from the first	subtract the second			
If a problem has a subtraction sign in front of a negative number you:				
add the numbers subtract the second number from the first	add the numbers			
If a problem has a subtraction sign in front of a positive number you:				
add the numbers subtract the second number from the first	subtract the second			



A.
$$8 + (-1) = 8 - 1 = 7$$

B.
$$8 - (+1) = 8 - 1 = 3$$

A.
$$8 + (-1) = 8 - 1 = 7$$

B. $8 - (+1) = 8 - 1 = 7$
C. $8 + (+1) = 8 + 1 = 9$

D.
$$8 - (-1) = 8 + 1 = 9$$

LOOK AT the problems above to answer these questions:

- 1. One minus sign and one plus sign can be rewritten as one _____ sign.
- 2. Two minus signs can be rewritten as one ____ sign.
- 3. Two plus signs can be rewritten as one _____sign.

minus

plus

plus

35.

REFER TO PANEL 1 IF NECESSARY

SOLVE these problems:

$$11 - 3 = 8$$

$$11 + 3 = 14$$

$$11 + 3 = 14$$

$$11 - 3 = 8$$

ADVANCED GENERAL EDUCATION PROGRAM

A HIGH SCHOOL SELF-STUDY PROGRAM

STATES OF MATTER: SOLID, LIQUID, GAS

LEVEL: |

UNIT:

LESSON: 2



U.S. DEPARTMENT OF LABOR
MANPOWER ADMINISTRATION, JOB CORPS
NOVEMBER 1969



U.S. DEPARTMENT OF LABOR
MANPOWER ADMINISTRATION, JOB CORPS
NOVEMBER 1969

ı. PREVIEW FRAME The frames that follow will: a. teach you some important ways of describing the world around you b. prepare you for more complicated lesson units later in the program TAKE TIME TO DO AS WELL AS YOU CAN NO RESPONSE REQUIRED GO ON TO THE NEXT FRAME

COTTON IRON ORE	
Here are 2 cans.	
One is filled with cotton, one with iron ore.	
The two cans:	
are the same size are not the same size	are the same size
The can filled with cotton:	
☐ is heavier than the one filled with iron ore☐ is lighter than the one filled with iron ore	is lighter
•	
• .	
	· ·
·	



Here are two more cans. One is filled with feathers	5.
The other is filled with marbles. Which can is bigger? ☐ feathers ☐ marbles	feathers
Which do you think is heavier? feathers marbles	marbles

- Charles and the second

4.	MATCH t more than	the following: n l property)	(Remember that each st	ate of matter can have
	A.	has a definite	shape	1 gas
	В.	has no definit	e shape	2 liquid
	C.	has a definite	volume	3 solid
	D.	has no definit	e volume	
5.	In which apart? (case will the I CHECK ONE)	molecules begin to move	e faster and farther
	a. (when heat	t is added to a substanc	ee .
	b. [when heat	is taken away from a s	ubstance
Time	complete	d		

WHEN YOU HAVE FINISHED THIS TEST, WRITE DOWN THE TIME. THEN TAKE THE LESSON TO YOUR INSTRUCTOR OR HIS ASSISTANT FOR CHECKING. WAIT UNTIL THE LESSON IS APPROVED BEFORE GOING ON TO THE NEXT LESSON.



_	4.	_
	**	
	When we talk about how heavy something is, we talk about how much it weighs.	
	When we say one thing is bigger than another, we are saying the bigger thing takes up more <u>space</u> .	
	Which takes up more space?	
	a short, thin man a tall, fat man	a tall, fat man
	Which weighs more?	
	☐ a short, thin man ☐ a tall, fat man	a tall, fat man
	Which takes up <u>less</u> space?	
	a rock the size of your fist a very large balloon	a rock the size of your fist
	Which weighs <u>less</u> ?	
	☐ a rock the size of your fist☐ a very large balloon	a very large balloon
	,	



1.	CHECK more th	OFF an on	the items below that could be called matter: (You may check the answer)
	a.		air
	b.		a candle
	c.		friendliness
	d.		the light from a candle
	е.		a loud noise
	f.		a piece of dust too small to see
2.	Are the of the s	mole ame	cules of ice and the molecules of water vapor molecules substance? (CHECK ONE)
	a.		yes
	b.		no
3.	In which	h stai mos	te of matter do the molecules of a substance hold t closely and move the least? (CHECK ONE)
	a.		gas
	b.		liquid
	c.		solid



5. ${\sf COTTON}$ ^FEATHER^S IRON MARBLES ORE LOOK at the pictures above. Then MARK the sentences below either true or false: TRUE FALSE A big object can weigh more than a little object -----TRUE A little object can weigh more than a bigger object -----TRUE Big objects always take up more space than little objects -----TRUE Big objects always weigh more than little objects -----**FALSE** Little objects always take up less space than big objects -----TRUE Little objects always weigh less than

FALSE



big objects -----

MASTERY TEST

Time started _____



We can identify some things by how much they weigh and by how much space they occupy. In the list below, CHECK the items that have weight and occupy space:	
food happiness sunlight the sound of a rifle shot water wood	water wood
7. Everything in the world that has weight and occupies space is called matter. CHECK the things below that you would call matter:	
a dream a mountain a piece of ice a radio a rock moonlight music from a radio sadness the sound of a friend's voice	a mountain a piece of ice a radio a rock
your pencil	your pencil
8.	·
CHECK each of the following that is called matter:	
a speck of dust too small to see air ice cubes milk noise sorrow	a speck of dust too small to see air ice cubes milk



SOLID

LIQUID

GAS (OR VAPOR)

VOLUME

STATES OF MATTER

a substance that has a definite shape

EXAMPLES: a stone, bread, a baseball bat, etc.

a substance that has no definite shape of its own out that takes the shape of the container that holds it

EXAMPLES: water (in a glass), milk (in a bottle), oil (in a tank), etc.

a substance that has no definite shape and that takes the shape and volume of the container that holds it.

EXAMPLE: steam, etc.

the amount of space that something occupies gases have <u>no</u> definite volume solids and liquids have a definite volume gas, liquid, and solid are the three states of matter

EXAMPLES: ice changes its state of matter when it becomes water; water changes its state of matter when it becomes steam

when a substance changes from one state of matter to another, the movement and space between its molecules changes

9.	
Did you say that <u>air</u> and a <u>speck of dust</u> are matter as part of your answer to the last frame? yes no	If no, go to frame 10. If yes, go to frame 11.
10.	
To see that air occupies space, fill a washbasin full of water. Take a glass and turn it upside down and put it in the water. When it gets to the bottom, turn it on its side and watch the bubbles of air rise to the top.	
Air also has weight. A tire tube that has no air in it weighs less than a tube that is filled with air. But you need a scale that can measure very small amounts to tell this difference.	
Just as it is difficult to weigh some forms of matter, it is also difficult to see that some forms of matter take up space. For example, you would need a magnifying glass to see a small speck of dust.	
There are some forms of matter that are too small to see even with the most powerful microscopes. In such cases, scientists rely on other ways to investigate matter.	
It is only important for you to know now that matter is everything that has weight and occupies space.	
NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME
11.	
How would you describe matter?	
everything that has weight and occupies space everything you can hear, see, taste, and smell everything you think	everything that has weight and



うると はどれないがないない

MATTER

everything in the world that has weight and occupies space

SUBSTANCE

EXAMPLES: a rock, a speck of dust, water, air, etc.

all things that are <u>one kind</u> of matter

MOLECULE

EXAMPLES: water and ice; the wood in a house and the wood in a desk

the smallest possible part of any substance

all molecules of one substance are exactly alike

the molecules of one substance are always different from the molecules of another substance

HEAT AND SUBSTANCE

whenever we add heat to a substance, we speed up or <u>increase</u> the movement of its molecules

EXAMPLES: the molecules of hot coffee move faster than the molecules of cold coffee; molecules of steam move faster than molecules of water

heating a substance also increases the space between the molecules of that substance

whenever we cool a substance, we slow down or <u>decrease</u> the movement of its molecules; the molecules also move closer together

the movement and the space between the molecules explains why water and steam which are the same substance look and feel different



12.

You know from your own experience that there are many different kinds or matter in the world. You also know that there are many things which can be referred to as the same kind of matter.

The drawing below shows a cup, a glass, a pitcher, and a small bowl. Each contains some milk.









The cup, the glass, the pitcher, and the small bowl are all filled with:

- one kind of matter
- two or more kinds of matter

one kind of matter



56.	
When ice melts, it changes from the solid to the liquid state. When water boils, it changes from a liquid to a gas.	
Does a change of state change the kind of matter something is?	
yes no	no
57.	
NAME the 3 states of matter and give an example of each:	
· ·	gas (air)
	liquid (milk)
	solid (ice)
	(any order and any similar example)
58.	
You now know that the same substance can look and feel differently because of the arrangement and movement of its molecules. But generally, things that look and feel differently are in fact two different kinds of matter.	·
How do you tell then whether two things are the same or different kinds of matter?	
What characteristics do scientists use to distinguish one substance from another?	
These questions will be answered in the next lesson. Time completed	
YOU HAVE NOW FINISHED THE FIRST PART OF THIS	FESCON UM IMP DOWN
THE TIME. THEN, AFTER YOU HAVE REVIEWED TH	
FOLLOWING SUMMARY, TAKE THE MASTERY TEST	
LET.	ST THE END OF THE ROOK-
	39

13.		
If two or more things are the same kind of matter, we say that they are the same <u>substance</u> .		
For example, we can have two, three, four, or more ice cubes, but they are the <u>same</u> substance. The ice cubes are <u>one</u> kind of matter. Also, water in a faucet is the <u>same</u> substance as an ice cube. Water and ice cubes are <u>one</u> kind of matter.		
MATCH the items on the left with those on the right that are the same substance:		
A. the milk in a glass	1 milk in a bowl	A
B. the paper of a news- paper printed on Monday	2a melted ice cube in a glass	С
C. an ice cube in the freezer	3 the paper of a news- paper printed on Wednesday	В
D. sea water from the Pacific Ocean	4 the milk in a pitcher	A
E. the wood in a small oak tree	5 an ice cube in a glass	С
	6 sea water from the Atlantic Ocean	D
	7 the wood in a giant oak tree	E _.



55.	
You can see now that when a substance changes from one state of matter to another, the movement and the space between the molecules of the substance changes. But we still have the same kind of molecules, therefore we still have the same substance.	
Milk and frozen milk are:	
different substances the same substance	the same substance
Milk and frozen milk are composed of:	
different kinds of molecules the same kind of molecules	the same kind of molecules
Rain and hail are:	
different substances the same substance	the same substance
Rain and hail are composed of:	·
different kinds of molecules the same kind of molecules	the same kind of molecules
A lake in the summer and a lake in the winter are:	
different substances the same substance	the same substance
And they are composed of:	
different kinds of molecules the same kind of molecules	the same kind of molecules

	
14.	·
When we say two or more things (such as the wood in a house and the wood in a desk) are the same kind of matter, we mean that they:	
are the same substance have the same shape	are the same substance
15.	
The word substance refers to:	
all things that are <u>one</u> kind of matter <u>two or more</u> kinds of matter	all things that are <u>one</u>
•	
·	·
·	
•	



and an extended the commence

Salah Jan Makak and Salah at Salah

	
53.	
Jce changes its state of matter when it becomes water. Water changes its state of matter when it becomes steam. Frozen milk changes its state of matter when it melts. Frozen milk changes its state of matter when it boils into a vapor.	
LIST the three states of matter and give an example of each:	
	Gas - steam
	Liquid - milk
	Solid - ice
•	(any order, and any similar example)
·	
54.	
In which state of matter are the molecules moving the fastest and the farthest apart?	
☐ gas ☐ liquid ☐ solid	gas
In which state of matter are the molecules very close together and moving slowly?	
□ gas . □ liquid □ soiid	113
	solid
·	
·	



16.	
Let's talk about one kind of matter that you are familiar with water.	
You know that when the temperature outdoors is very cold a puddle of water freezes. We call frozen water ice. As it gets warm again, the ice gradually melts. When all the ice has melted, we again refer to the puddle as water.	
You can make ice in your freezer. If you leave a tray of water there for a while, it will get hard. But once you take the ice out of the cold area and just leave it on the table, the ice loses its shape and looks like water again.	
Would you say that ice and water are:	·
different substances	
the same substance at different temperatures	the same substance at
·	
·	
	·
	Ī



										
51.										
LABEL cad	ch of the fol	llowing eitl	her GAS, L	IQUID, or						
has a def	inite shape	and a defi	nite volum	ie		so	olid			
has a def	inite volum	e but no de	efinite sha	pe		li	quid			
has no de	efinite shap	e and no de	efinite vol	ume		ga				
						3-				
									•	
										
52.										
The terms	gas, liquid es of matter	l, and solid	d are refen	red to as th	ne	٠		٠		
		nns that ap	nlu ta ana	h -4-4						
matter:	T the colu	ms that ap	bily to eac	n <u>state</u> of		•			•	
	VOL	UME		APE						
	has no	has a	has no	4 has a						
	definite volume	definite volume	definite shape	definite shape						_
	-		<u> </u>	<u> </u>		1	2	3	4	
Gas 						х		х		
Liquid							х	х		
Solid							х	,	Х	
						<u> </u>				
					1					
										1



17.	
When you boil water in a pot, steam comes up from the top of the water. If you hold your hand near the steam, you can feel the heat and the dampness. If you put a lid on top of the pot, the steam will condense on the lid. If you pick up the lid after a few minutes, you can see that the steam has changed back into drops of water.	. •
Is steam the same substance as water?	
☐ yes ☐ no	yes
18.	
If ice, water, and steam are the same substances, why do they look and feel differently?	
In order to answer this, we must take a closer look at matter.	
NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME
·	



報報 物の行動者 安在村 ちんかられんない まちらいない してき

50.	
 have a definite volume have no definite volume have a definite shape have no definite shape 	
USE the phrases above to complete the sentences be	low:
All gases	 have no definite volume have no definite shape (any order)
All liquids and	 have a definite volume have no definite shape (any order)
All solids	 have a definite volume have a definite shape (any order)
·	
,	

19.	
When you look at sand very closely, you can see that it is made up of tiny grains. But as small as these grains are, they are not the smallest possible piece of the substance sand.	
The smallest possible piece of sand, or any substance, is called a <u>molecule</u> *.	
A molecule is such a small part of a substance that even one grain of sand is made up of thousands of molecules.	
A drop of water:	
contains many molecules of water is not made of molecules is the same as a molecule of water	contains many molecules of water
·	
	·
٠.	·
* This word is pronounced "moll-uh-kule."	
	·
1	



		
49.		
LABEL each of the substances be liquid, \underline{G} for gas, or \underline{S} for solid:	low either <u>L</u> for	
1. the air you breathe		G
 the cloth your clothes are made of 	· .	S
 the leather your shoes are made of 		s
4. the meat or fish you eat		S
5. the pencil you write with		s
 the vapor given off when you open a bottle of ammonia 	:	G
7. the water and milk you drink	<u> </u>	L



20.	
All the molecules of one substance are exactly alike, but the molecules of one substance are always different from the molecules of another substance.	
CHECK the molecules below that are exactly alike.	
a molecule of wood a molecule of water a molecule of air a molecule of ice	a molecule of water
	·
21.	
The smallest possible part of any substance is called a	molecule
22.	
Molecules are much too small to be seen. We are going to represent them as small circles, however, so that we can explain how they make ice, water, and steam look and feel differently, although they are the same substance.	
NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME
·	
·	



Me

から かい いまかいけいかい まんかい はい かんだい かんけい いんばん いけいかい じょうれい かいしんかい かんかい おおかれ ないないない はないない ないないない ないない

	
47.	
A gas (or vapor) occupies space. However, the amount of space a was occupies is difficult to determine because its molecules are so far apart and they are moving so fast. Therefore, we say that a gas:	
has a definite volume has no definite volume	has no definite volume
48.	
Suppose we put a lid on the pot shown in one of the previous frames. Then the amount of space occupied by the molecules of steam would be determined by the amount of space that is available in the pot.	·
When we say that a gas does not have a definite volume we mean :	,
that it does not occupy space that it will assume the volume of its container	that it will assume the volume of its container



·	•
23.	
LOOK at the list of things below. CHECK the ones which state that something is moving. car	falling leaf moving car rising smoke running dog running water
24.	
When water boils in a pot, bubbles continually appear and break on the surface. The higher you turn the heat, the faster the bubbles will form and break. When water boils does it move or remain still? move remain still	move
•	·
	·



46.			
molecules of from	zen milk. Drawing lass of milk, and I	ring A represents the B represents the Drawing C represents	
		0	
8888888	000		
		600000 6000000000000000000000000000000	
		·	
DRAWING A	DRAWING B	DRAWING C	
Do the molecules amount of space	of the glass of mi?	ilk occupy a definite	
☐ yes	no	·	yes
Do the molecules a definite amoun	of the vapor on to t of space?	p of the pot occupy	
☐ yes	□ no		no
Do the molecules amount of space	of the frozen milk?	occupy a definite	
yes yes	no		yes



•	
25.	
We can see the bubbles breaking in boiling water, but we cannot see the movement of the molecules. If we could see the molecules of boiling water, they would look something like the drawing below.	·
The molecules at the top of the water are moving away from the ones at the bottom. O O O	
o o ← B	
$A \longrightarrow \begin{array}{c} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 &$	
In the picture Arrow A points to the molecules of the:	
□ boiling water □ steam	boiling water
Arrow B points to the molecules of the:	
□ boiling water □ steam	steam
	·

44.				
MA	TCH the columns below:			
Α.	has a definite shape	l gas	1. C	
В.	has no definite shape. Takes the shape of	2 liquid	2. B	
	its container	3 solid	3. A	
c.	has no definite shape; does not take the shape of its container			
45.		-		
All	matter occupies space.			
	amount of space something ume.	occupies is called its		
Wh	ich of these have volume?			
	gases		gases	
	liquids solids		liquids solids	
	•			
	e e e e e e e e e e e e e e e e e e e			



26. When we add heat to water, the molecules begin to move more quickly. They bump into each other and push each other around. If we continue to add heat, some molecules eventually move so fast that they leave the molecules of the water and fly off into the air as steam. LOOK at the drawing above. Arrow A is pointing to the molecules that are: moving faster than those indicated by Arrow B not moving as fast as those indicated by Arrow B not moving . . . Arrow B is pointing to the molecules that are: moving faster than those indicated by Arrow A moving faster . . . not moving as fast as those indicated by Arrow A Which molecules are closer together? ☐ the molecules of steam the molecules of water ☐ the molecules of water Which molecules are farther apart? the molecules of steam the molecules of steam ☐ the molecules of water

43.		
Steam:		
	has a definite shape has no definite shape	has no definite shape
Steam:		
	takes the shape of its container does not take the shape of its container	does not take the shape of its container
Water:		its container
	has a definite shape has no definite shape	has no definite shape
Water:		
	takes the shape of its container does not take the shape of its container	takes the shape of its container
Ice:		
	has a definite shape has no definite shape	has a definite shape
	·	
	·	
	•	



increas If we a	ver we add heat to a se the movement of it dded heat to milk in ecules would: decrease increase slow down speed up	s mol		increase speed up
28.				
There are two columns of items listed below. CHECK the item in which the molecules of the substance would be moving faster. The first has been done for you.				
x	steam		water	steam
	cold milk		hot milk	hot milk
	boiling coffee		lukewarm coffee	boiling coffee
	cold tea	. 🗖	the vapor from a kettle of brewing tea	the vapor from a kettle
	bacon fat at room temperature		hot bacon fat	hot bacon fat
	. •		·- •	



42. Drawing A below represents the molecules of water in a glass, and Drawing B represents the molecules of steam in a glass. DRAWING A DRAWING B Drawing A shows that water: does not take the shape of its container takes the shape of its container takes the shape of its container Drawing B shows that steam: does not take the shape of its container does not take the shape of its container ☐ takes the shape of its container

When we heat a substance, its molecules: do not increase their movement move faster move slower	move faster
The movement and the space between the molecules explains why water and steam which are the same substance look and feel differently. You can put your hands into water (if it is not too hot) and feel the water. You cannot feel the vapor or steam from boiling water in the same way. If you hold your hand above the pot, you can feel the dampness and heat; but you cannot cup the steam in your hands. The molecules are spread too far apart and are moving too fast for you to hold them. NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME



41.	
Water has no definite shape of its own. This means that if we melt an ice cube in a glass, the water will take the shape of the glass. If we melt ice in a pitcher, the water will take the shape of the pitcher. A substance that has no definite shape of its own but takes the shape of the container that holds it is called a liquid.	
LABEL each of the following either solid or liquid:	solid
bread milk orange juice	solid liquid liquid
- 	
·	
. •	



31.	
When we cool water by putting it in the refrigerator or by adding ice to it, we slow down or <u>decrease</u> the movement of its molecules.	
The molecules of ice are moving:	
at the same rate as the molecules of steam faster than the molecules of steam slower than the molecules of steam	slower than the molecules
•	
·	
	,
·	
	i



Bry



38.		
The sha	ape of a substance, then:	
	depends on how close its molecules are	depends on how close
	depends on how fast or slowly its molecules are moving	depends on how fast
	does not depend on how close its molecules are	
	does not depend on how fast or slowly its molecules are moving	
39.		
REVIEW	FRAME	
Molecul	les of steam:	
	move faster than molecules of water move slower than molecules of ice	move faster than molecules
Does st	eam have a definite shape?	
	yes no	no
<u>.</u>	0.006	
40.		
A substa	nce that has a definite shape is called a	
Which it	em below is a solid? (CHECK ONE)	
	ice steam water	ice
•		75



32. Whenever we cool a substance, we decrease the movement of the molecules and generally, the molecules of the substance move closer together. When a substance is frozen, its molecules are still moving but only very slowly. The drawing above represents melting ice cream. Arrow A points to the molecules that: ☐ have started to move more quickly have started to move more quickly have very little movement Arrow B points to the molecules that are: Closer together closer together farther apart



37. In a previous frame, we said that when ice melts it loses its shape. You know this from your own experience. If you leave an ice cube on the table, it will melt into a pool of water which has no particular shape. The drawing below represents the molecules of melting ice cream. The molecules that are closest together represent the molecules of: the ice cream that is still frozen the ice cream that is still frozen ☐ the ice cream that has melted The molecules that are farther apart represent the molecules of: the ice cream that is still frozen ☐ the ice cream that has melted the ice cream that has melted As the molecules move farther apart the ice cream: keeps the same shape ☐ loses its shape loses its shape

		T
33.	!	
CHECK the item in the pairs cules of the substance would movement.	below in which the mole- d have relatively <u>little</u>	
The first has been done for y	you.	·
1. X ice cube	☐ water	ice cube
2. frozen milk	milk	frozen milk
3. \square a popsicle	a melted popsicle	a popsicle
4. a lake on which you can ice skate		on which you can ice skate
5. 🗌 hail	rain rain	hail
•		
·		
	,	
•		



36.	
When a substance (such as cake) is frozen, is it hard?	
□ no □ yes	yes
When a substance (such as a popsicle) is frozen, does it have a definite shape?	• • •
no yes	yes
Which of the items listed below are hard?	
a lake on which you can ice skate a lake in which you can swim	a lake on which you can ice
a melted popsicle hail ice cube milk	hail ice cube
rain · 🔲 water	•
·	
·	
	·
·	
·	
	1

34.		
The two drawings below represen and as it is boiling.	t milk as it is melting	
	0 0	
	0 0	
,	000	
	0 0 0 0 00° 0 0 0 0 00° 0 0 0 0 00°	
0 000000000000000000000000000000000000	2000000	
A	В	
The milk is boiling in:		
☐ Drawing A☐ Drawing B		Drawing B
The milk is melting in:		
☐ Drawing A☐ Drawing B		Drawing A
The molecules are moving fastest in:	and farthest apart	
☐ Drawing A☐ Drawing B		Drawing B
The molecules are moving the leas	st in:	
☐ Drawing A		Drawing A
☐ Drawing B		5,7
•		



会は大きないないできない。これでは、おきないますという。

The molecules of frozen milk are: closer together than the molecules of lukewarm milk farther apart than the molecules of lukewarm milk moving faster than the molecules of lukewarm milk moving slower than the molecules of lukewarm milk The molecules of lukewarm milk are: closer together than the molecules of boiling milk farther apart than the molecules of boiling milk moving faster than the molecules of boiling milk moving slower than the molecules of boiling milk	35.		
milk farther apart than the molecules of lukewarm milk moving faster than the molecules of lukewarm milk moving slower than the molecules of lukewarm milk moving slower than the molecules of lukewarm milk The molecules of lukewarm milk are: closer together than moving slower than closer together than moving slower than closer together than moving slower than moving slower than moving slower than	The mol	ecules of frozen milk are:	
milk moving faster than the molecules of lukewarm milk moving slower than the molecules of lukewarm milk The molecules of lukewarm milk are: closer together than the molecules of boiling milk farther apart than the molecules of boiling milk moving faster than the molecules of boiling milk moving slower than the molecules of boiling milk moving slower than the molecules of boiling milk moving slower than the molecules of boiling moving slower than the			closer together than
milk moving slower than the molecules of lukewarm milk The molecules of lukewarm milk are: closer together than the molecules of boiling milk farther apart than the molecules of boiling milk moving faster than the molecules of boiling milk moving slower than the molecules of boiling milk moving slower than the molecules of boiling milk moving slower than the molecules of boiling moving slower than the molecules of boiling		farther apart than the molecules of lukewarm milk	
The molecules of lukewarm milk are: closer together than the molecules of boiling milk farther apart than the molecules of boiling milk moving faster than the molecules of boiling milk moving slower than the molecules of boiling moving slower than the molecules of boiling		moving faster than the molecules of lukewarm milk	
closer together than the molecules of boiling milk farther apart than the molecules of boiling milk moving faster than the molecules of boiling milk moving slower than the molecules of boiling moving slower than the		moving slower than the molecules of lukewarm milk	moving slower than
farther apart than the molecules of boiling milk moving faster than the molecules of boiling milk moving slower than the molecules of boiling moving slower than the molecules of boiling	The mole	ecules of lukewarm milk are:	
milk moving faster than the molecules of boiling milk moving slower than the molecules of boiling moving slower than the molecules of boiling		closer together than the molecules of boiling milk	closer together than the
milk moving slower than the molecules of boiling moving slower than the		farther apart than the molecules of boiling milk	
moving slower than the molecules of boiling milk moving slower than the		moving faster than the molecules of boiling milk	
		moving slower than the molecules of boiling milk	moving slower than the
·			
		•	
	.		
	1,000		
04			04



ADVANCED GENERAL EDUCATION PROGRAM

A HIGH SCHOOL SELF-STUDY PROGRAM

PROPERTIES AND MEASURES OF MATTER

LEVEL: 1

UNIT:

LESSON: 3



U.S. DEPARTMENT OF LABOR



U.S. DEPARTMENT OF LABOR
MANPOWER ADMINISTRATION, JOB CORPS
NOVEMBER 1969

	A.	area	1	centimeters
	В.	length	2	cubic meters
	c.	volume	3	grams
	D.	weight	4	kilometers
		4	5	liters
			6	square centimeters
			7	square meters
5. MA	тсн	the following:		
A		oility to dissolve another substance	1	fluidity
В	. al	oility to flow	2	solubility
_	. re	sistance to flow	3	viscosity

WHEN YOU HAVE FINISHED THIS TEST, WRITE DOWN THE TIME. THEN TAKE THE LESSON TO YOUR INSTRUCTOR OR HIS ASSISTANT FOR CHECKING. WAIT UNTIL THE LESSON IS APPROVED BEFORE GOING ON TO THE NEXT LESSON.

ı.

PREVIEW FRAME

In other books in this program you learn about certain qualities that all kinds of matter have. These are called general properties and they include: volume (the amount of space something takes), mass (the amount of matter it contains), weight (the force of attraction between a certain amount of matter and the earth), inertia (the tendency of matter to continue at rest or in motion unless started or stopped by a force).

This booklet is mainly about some of the special properties of matter — hardness, taste, boiling point, and so forth — that we can use to tell one kind of matter from another.

You will also learn about how matter can be measured.



1.	CHECK	the	terms that are special properties of matter
	a.		boiling point
	b.		color
Ą	c.		fluidity
	d.		hardness
	e.		mass
	f.		melting point
	g.		odor
	h.		shape
	i.		solubility
	j.		taste
	k.		volume
	1.		weight
2.	Water w	vill p ans t	ass from the liquid to the gaseous state at 100° C. and 212° F. that water has:
	a.		one boiling point that can be measured on 2 different scales
	b.		two boiling points
3.	When a reached	subs its:	tance begins to change from a solid to a liquid state, it has
	a.		boiling point
	b.		melting point
4.	The prop	pertie	es of a substance:
	a.		are different from state to state
	b.		are exactly the same in all 3 states



2.	
In order to distinguish (tell the difference) between two different kinds of matter, we can <u>smell</u> them, <u>taste</u> them, look at their <u>color</u> , look at their <u>shape</u> , or feel them.	
How do you distinguish is ;ween tomato soup and a glass of milk?	
one is harder than the other they have a different color they have a different odor (smell) they have a different shape they have a different taste	they have a different color they have a different odor (smell) they have a different taste
How do you distinguish between a clear rock crystal and a water drop? one is harder than the other they have a different color they have a different odor (smell) they have a different shape they have a different taste	they have a different shape
How do you distinguish between a piece of chocolate candy and a glass of dishwater?	
one is harder than the other they have a different color they have a different odor (smell) they have a different shape they have a different taste	one is harder than the other they have a different color they have a different odor (smell) they have a different shape they have a different taste

MASTERY TEST

Time started _____



3.		
	nces listed in the left-hand column istics in the column on the right:	
A. clear air	1 is colorless	А, В
B. fresh water	2 has some form or shape	С
C. a bar of steel	feels hard when you touch it	c :
O. onion soup	4 has an odor (smell)	D (Under certain conditions, for example in a smoky room, air can smell; water too can have a smell if it is dirty, etc.)
	5 is tasteless	A, B (Likewise, under certain conditions air and water may have a taste.)
•		



UNITS OF MEASURE

that which we use to measure area, length, volume, weight, etc.

ENGLISH SYSTEM

the system of measure (units) we use in our daily lives

METRIC SYSTEM

EXAMPLES: inches, feet, quarts, pounds, etc.

the system of measure (units) that scientists generally use in their calculations

EXAMPLES: centimeters, meters, grams, kilograms, etc.

FAHRENHEIT SCALE

used to measure temperature in the English system

EXAMPLE: in the summer, the temperature often reaches as high as 90 ° F (Fahrenheit)

CENTIGRADE SCALE

used to measure temperature in the metric system

EXAMPLE: the boiling point of water is 100°C (Centigrade)



4.

When we refer to the form (or shape), color, odor, taste, and hardness of a substance, we are using the characteristics that scientists call the <u>properties</u> of matter.

MATCH the way in which the properties listed below could be used to describe the kinds of matter in the left-hand column:

A. water vapor

l.___has form

B. freshly brewed tea

2. has no form

C. a piece of chocolate candy

3.__has an odor

D. perfume

4.__has no odor

E. the air in a bakery

5.__has a taste

F. a plate

6.__has no taste

7. has a certain color

8.___has no color

9.___is hard

10.___is not hard

C, F

A,B,D,E

B,C,D,E

A,F

B,C , D*

A,D,F

B,C,D,F

A,E

C,F

A,B,D,E

^{*}Perfume may have a taste, but we do not taste perfume; nor do we use the property taste to distinguish one perfume from another perfume.

PROPERTIES OF MATTER

smell, taste, color, shape, hardness, boiling point, melting point, solubility, fluidity and viscosity are all properties of matter

the properties of a substance <u>often</u> change when matter changes its state; but they do not <u>always</u> change

temperature at which a substance begins to change from a liquid to a gas

EXAMPLE: the boiling point of water is 212° F (Fahrenheit)

temperature at which a substance begins to change from a solid to a liquid

EXAMPLE: the melting point of water (ice) is 32° F

the <u>ability</u> of one substance to dissolve in another; if one substance can dissolve in another substance, we say that the substance is soluble

EXAMPLE: sugar is soluble in hot coffee

the ability of a substance to flow

EXAMPLES: water flows in a river; air flows from room to room

the resistance of a substance to flowing

EXAMPLE: frozen lemonade has a greater viscosity than liquid lemonade

different kinds of matter can be distinguished by their properties

EXAMPLES: a rock is <u>harder</u> than water; salt <u>tastes</u> different from sugar; etc.

A. BOILING POINT

B. MELTING POINT

C. SOLUBLE OR SOLUBILITY

D. FLUIDITY

E. VISCOSITY



CHECK the properties of matter that you would use to describe the difference between a freshly baked lemon cake and a loaf of stale white bread: color	color hardness odor shape taste
6. Color, hardness, odor, shape, and taste are 5: states of matter properties of matter Gas, liquid, and solid are the 3: states of matter properties of matter	properties of matter states of matter
PICK OUT 5 properties of matter from the list of items below: color	color hardness odor shape taste



51.	
We measure the amount of <u>space</u> a substance occupies in terms of <u>volume</u> .	
We measure the amount of <u>matter</u> a substance has in terms of <u>weight</u> .	
Another word which refers to the amount of matter a substance has is $\underline{\text{mass}}^*$.	
The mass of a substance is also expressed in grams and pounds.	· ·
The mass of a substance is another word for	j
volume weight	· weight
*The difference between mass and weight will be explained in a later lesson. For now, mass and weight will be used interchangeably.	
52.	
The mass of a substance refers to the:	
amount of matter a substance has amount of space a substance occupies.	amount of matter
53.	
Volume refers to the amount of a substance occupies.	space
Weight and mass refer to the amount ofa substance has.	matter
	Time completed
YOU HAVE NOW FINISHED THE FIRST PART OF THIS	LESSON, WRITE DOWN
THE TIME. THEN, AFTER YOU HAVE REVIEWED TH	
FOLLOWING SUMMARY, TAKE THE MASTERY TEST	AT THE END OF THE BOOK-
LET.	



8.	
Next to each pair of items listed below, WRITE one of the five properties of matter that you could use to distinguish one substance from another:	
A. the top of a desk and a pillow	color hardness shape (any 1)
B. fried bacon and a glass of water	color hardness odor shape taste (any 1)
C. two books in a library	color shape (possibly hardness if one has a soft cover) (any 1)
D. a steak and strawherry shortcake	color hardness odor shape taste (any 1)
E. a baseball and a bat	color hardness shape (any 1)
9.	•
Let's take a look and see what happens to the properties of a substance when it changes state.	
NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME
ر این میرونی میرونی این	

ERIC Arathast Productive Elice

	T
49.	
REFER TO PANEL 1 IF NECESSARY	·
PUT \underline{L} before the items below that are a measure of length.	
PUT A before the items that are a measure of area.	
PUT \underline{V} before the items that are a measure of volume.	
PUT \underline{W} before the items that are a measure of weight.	
meters	L .
miles	L
ounces	w
pounds	w
quarts	v
square centimeters	A
square inches	A
square yards	. A
yards	L
50.	
REFIEW FRAME	
Matter is anything that has and occupies	weight space
The amount of space a substance occupies is called	
its	volume
56	29



,	10.	-										
			the propert	es that apper:	oly to each	of the						
		Has hape	2. Is odorless	3. Is tasteless	4. Is colorless	5. Feels hard	1	2	3	4	5	
8	Steam							X	X	X		
,	Water							X	X	X		
	(ce						X	X	X	X	X	
	11.					-					_	
	Now C the sta	HECK ites of	OFF the pr	operties the coffee:	at apply to	each of						
		Has shape	2. Has an odor	n 3. Has taste	4. Has 5	. Feels hard	1	2	3	4	5	
	Vapor (Gas)					C		X	X			
	Liquid							X	X	X		
	Solid						X	(X)	X	X	X	

ERIC

Full Text Provided by ERIC

48.	
REFEN TO PANEL 1 IF NECESSARY	
PUT \underline{L} before the items below that are a measure of length.	
PUT \underline{A} before the items that are a measure of area.	
PUT \underline{V} before the items that are a measure of volume.	
PUT \underline{W} before the items that are a measure of weight.	
centimeters	L
cubic centimeters	v
cubic inches	v
grams	w
inches	L :
kilograms	w
kilometers	L
liters	v
	·
·	
	1 .



12.	
Now CHECK each sentence true or false:	
Some of the properties of a substance may change when the substance is in a different state of matter.	
☐ True ☐ False	True
All of the properties that a substance has are different when a substance changes from the solid to the liquid state or the liquid to the gaseous state.	
☐ True ☐ False	False
FILL IN the blanks below with the five properties of matter. The first letter of each word is already given. C H O S T	color hardness odor shape taste



--^

いっていることのはないとのないないないないないない

	
46.	
REFER TO PANEL 1	
LOOK AT the bottom of the panel under the heading "Weight."	•
What measures for weight are there in the English System?	
grams kilograms ounces pounds	ounces pounds
47.	
An ounce is equal to about 28 grams. Which weighs more?	
l ounce l gram	1 ounce
One kilogram is equal to about 2 pounds. If something weighs 4 pounds, how many kilograms will it weigh?	
1	2
	<u></u>
	ι (_λ) τ. ·



	
14.	
NAME the five properties of matter that you have learned:	
	color hardness odor shape taste (any order)
15.	
REVIEW FRAME	
You have learned in previous frames that matter can exist in three states.	
What are these states?	gas solid liquid (any order)
16.	
You have read in previous frames, and you know from your own experience, that matter can change from one state to another state.	·
When water is frozen, it changes from astate to astate.	liquid solid
When water is boiled, it changes from astate to astate.	liquid gaseous



1、1000 · 1000 ·

45.

REFER TO PANEL 1

The pictures below are labeled with the unit of measurement that is used in the English System.

MATCH the pictures with the appropriate unit of measurement from the Metric System:

Α.




- 1. ____ centimeter
- 2. ____ cubic centimeter
- 3. ____ kilometer

В.




- 4. ____ liter
- 5. ____ square meter
- C. 3/4 sq. in.
- 6. ____ square centimeter
- 7. ____ square kilometer




—Area is *9*,975 *sq*.mi.

E.

D.



F.



- 1.
- 2. F
- 3. D
- 4. A
- 5. E
- 6. C
- 7. D

17. Shown above is a piece of molting ice, and its temperature; and steam from boiling water and its temperature. In the picture, F. refers to the Fahrenheit scale. This is used to measure: temperature temperature volume LOOK at the diagram above. Now CIRCLE the temperatures on the thermometer below at which water: 1. changes from the liquid to the gaseous state 2. changes from the solid to the liquid state 212 32

ERIC*

44.	
REFER TO PANEL 1	
A centimeter is about 1/3 of an inch. In other words, three centimeters just about equal an inch.	
A meter is about 3 inches longer than a yard. A yard is 36 inches long. One meter is about how long?	
	about 39 inches
A kilometer is a little over 1/2 of a mile. About how many kilometers equal 1 mile:	
	about 2
USING the information given above, and by REFERRING TO THE PANEL, MATCH the following:	
A. centimeter	1. B
2 cubic centimeter	2. C
B square centimeter	3. A
c.	
44 a.	
FOOTNOTE FRAME	
It is not important for you to memorize how many centimeters make up an inch. It is important, however, for you to know that both the centimeter, and the inch, are used to measure length.	
NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME
	14
en e	25



18.	
When a substance reaches a temperature at which it begins to change from a liquid to a gas, we say it has reached its boiling point.	
When a substance reaches a temperature at which it starts to change from a solid to a liquid, we say it has reached its <u>melting point</u> .	·
What is the boiling point of water?	
□ 0° F. □ 32° F. □ 100° F.	
☐ 32° F. ☐ 100° F. ☐ 212° F.	212° F.
What is the melting point of water?	
☐ 0° F. ☐ 32° F. ☐ 100° F. ☐ 212° F.	32° F.
☐ 212° F.	
	11

REFER TO PANEL 1 The units of measurement that you know best, such as inches, miles, and quarts, are shown on the panel under the words: English System Metric System	English System
REFER TO PANEL 1 The "English System" of measurement is the one that we use in our daily lives. However, scientists generally use another system called the "Metric System." The Metric System of measurement, as shown on the panel, gives measures for: area ength time volume weight	area ler.gth volume weight



	
19.	
When we boil water, we:	
add heat take heat away	add heat
Thus, a substance will reach its boiling point at a temperature that is:	
colder than the temperature of its freezing point	
hotter than the temperature of its freezing point	hotter than the temperature
Temperatures below zero are:	
colder than temperatures above zero hotter than temperatures above zero	colder than temperatures
A temperature of -132° F.* is:	
□ colder than a temperature of -32° F. □ hotter than a temperature of -32° F.	colder than a temperature
*A minus sign in front of a temperature indicates that the temperature is below zero.	
	07
	. \ •

40.	
REFER TO PANEL 1 (Page 22).	
The Panel lists some of the units we use to measure:	
area hardness	area
☐ length ☐ taste	l'ength
☐ viscosity ☐ volume	volume
☐ weight	weight
41.	
REFER TO PANEL 1	
MATCH the following to show what we would measure of a straight line, a flat surface, and a box:	
A 1 area	1. B
2length	2. A
3volume	3. C
B. 4. weight	4. C
·	
c	
	·
	<u> </u>

ERIC Full Text Provided by ERIC

BASIC MATTER 2

PANEL 1

LENGTH

METRIC SYSTEM

ENGLISH SYSTEM

Gentimeters Meters Kilometers

Inches Yards Miles

AREA

Square Centimeters Square Meters Square Kilometers

Square Inches Square Yards Square Miles

<u>VOLUME</u>

Cubic Centimeters Liters

Cubic Inches

Quarts

WEIGHT

Grams Kilograms

Ounces Pounds



37. The following frames will discuss the terms that are used when we measure matter. Some of these you are familiar with already; others may be new to you.	
NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME
You probably know how long a <u>yard</u> is and how long a <u>mile</u> is. Each of these is called a <u>unit</u> of measurement.	
WRITE IN the appropriate units of measurement in the blanks below: It is about 3,000 across the United States.	niles
A clothes line is about 10 long.	yards
You are probably also familiar with the units of quartand pound. MATCH these units with what they are used to measure: A. how much some- thing weighs 2 quart B. the volume of liquids	1. A 2. B



_			
	20.		
	melting points. T	ces have different boiling points and The hoiling and melting points for some ces are listed below.	
	For each kind of m melting point and	natter, LABEL one temperature <u>MP</u> for one temperature <u>BP</u> for boiling point:	
	MERCURY		
	675° F.	·	ВР
	-37° F.		MP
	IRON		
	4955° F.		ВР
	2795° F.		MP
	OXYGEN	·	ĺ
	-426°F.		MP
	-361° F.		BP
			l
			ı
		•	

34.				
Below is a list of some substances. For each one, CHECK the appropriate column, i.e., "Fluidity" or "Viscosity."				
·	Fluidity	Viscosity	Fluidity	Viscosity
cold grease				x
frozen orange juice				×
lemonade			×	
tea			×	
35.				
MATCH the following:				
A. Ability to dis	solve 1	• fluidity	B ·	
B. Flows or pours easily 2 solubility		A		
C. Resistance to	flow 3	· viscosity	С	
36.				
Fluidity, and its opportunity of the discribe the discribed the	site, viscosi ifference betv	ty, is one more ween kinds of matter.		
READ the list below ar properties of matter:	nd CHECK the	items that are		
gas, liquid, and solid states melting and boiling points odor, taste, color, hardness, and shape solubility, fluidity, and viscosity weight		odor, taste	d boiling points	
		· .	112	


ERIC Fruil Text Provided by ERIC

21.

Notice that the melting points and boiling points of the substances listed in the previous frame are large numbers. There is another scale, called the <u>Centigrade scale</u>. Scientists usually use this scale for measuring temperatures because it is easier to perform calculations with the Centigrade scale.

However, you are probably more familiar with the Fahrenheit scale since it is used to measure the temperature of our atmosphere, the inside of our stoves and refrigerators, etc.

The drawing below shows the relationship between the Fahrenheit and the Centigrade scales.



At what temperature does water boil on the Centigrade scale?

At what temperature does ice melt on the Centigrade scale?

100° C.

0° C.

32.	
The ability to flow is called <u>fluidity</u> .	
The resistance of a substance to flowing is called <u>viscosity</u> .	
Which has more fluidity?	
☐ plain water ☐ water mixed with flour	plain water
Which has more viscosity?	
☐ plain water ☐ water mixed with flour	water mixed with flour
33.	
Fluidity = ability to flow. Viscosity = resistance to flow.	
Which has greater viscosity?	
☐ cold molasses ☐ melted butter	cold molasses
Which has greater fluidity?	
gasoline tar	gasoline
If one substance has greater fluidity than another substance, it will flow:	·
faster more slowly	faster
	·



- 1		
	22.	
	The temperatures below on the left represent the melting point and boiling point of water on one scale, and the temperatures on the right represent the melting point and boiling point of water on another scale.	
	WATER	
	MP 0° MP 32° BP 212°	·
	The temperatures on the left are from which scale?	
	Centigrade Fahrenheit	Centigrade
l	The temperatures on the right are from which scale?	
	Centigrade Fahrenheit	Fahrenheit
ŀ	23.	· · · · · · · · · · · · · · · · · · ·
	Which scale is used to tell the temperature of the air in a room?	Fahrenheit
	Which scale do scientists usually use in their calculations?	Centigrade
ŀ	0.4	
	24.	
	Different kinds of matter have:	
	different melting and boiling points the same melting and boiling points	different melting and boiling
		·

ERIC Fruit liest Provided by ERIC

29.	·
A sugar cube readily dissolves in many liquids, but a substance such as wood does not.	
Would you say that solubility is one more way we can tell the difference between kinds of matter:	
no yes	, yes
30.	
You have just learned another property of matter.	
The property refers to the ability of a substance to dissolve.	
This property of matter is called	solubility
31.	
The property you will now be introduced to refers to the ease with which a substance will flow.	_
You are probably used to thinking that only liquids flow. However, gases can flow also. Air, for example, is a gas, and we can say that air flows from one room to another.	
Which substances below have the ability to flow?	
car exhaust fumes	car exhaust fumes
bread honey	honey
ice milk	milk
·	
,	
	116



25.	
REVIEW FRAME	, i
Since the boiling and melting points of a substance can be used to distinguish one kind of matter from another, they are also called properties of matter.	
CHECK the 7 properties of matter that you have studied so far.	
boiling point color	boiling point color
hardness melting point	hardness melting point
occupies a definite space	·
odor shape	odor shape
□ taste □ volume	taste
weight	
26.	·
Color, odor, taste, shape, and hardness are properties of matter.	
NAME two more properties of matter:	·
	boiling point
	melting point (any order)
	(any order)
	·
·	



e e de de estados de desente de desentación de tratación es destados de para del desentación de desentación de

27.	
Many times each day we mix one kind of matter with another. Sometimes the things we are trying to mix separate as soon as we stop stirring them. For example, hot bacon grease will settle on the top of water if we stop stirring.	
If two substances are mixed evenly throughout (even after we have stopped stirring) we say that one substance has dissolved in the other. For example, after we stir sugar into hot coffee, the sugar stays dissolved until the coffee gets cold.	
CHECK the mixtures below where one substance would dissolve in another substance:	
hot water and flour milk and marbles	hot water and flour
oil and water salt and coffee water and Alka-Seltzer water and silverware	salt and coffee water and Alka-Seltzer
28.	
If one substance can dissolve in another substance,	
we say that the substance is soluble.	
we say that the substance is <u>soluble</u> . <u>Solubility</u> is the <u>ability</u> of one substance to dissolve	
we say that the substance is soluble. Solubility is the ability of one substance to dissolve in another. Which of the items below are examples of solubility? Chlorine and the water in a swimming pool	chlorine and the water
we say that the substance is soluble. Solubility is the ability of one substance to dissolve in another. Which of the items below are examples of solubility?	chlorine and the water hot chocolate and sugar
we say that the substance is soluble. Solubility is the ability of one substance to dissolve in another. Which of the items below are examples of solubility? chlorine and the water in a swimming pool a hamburger with ketchup	
we say that the substance is soluble. Solubility is the ability of one substance to dissolve in another. Which of the items below are examples of solubility? chlorine and the water in a swimming pool a hamburger with ketchup	
we say that the substance is soluble. Solubility is the ability of one substance to dissolve in another. Which of the items below are examples of solubility? chlorine and the water in a swimming pool a hamburger with ketchup	
we say that the substance is soluble. Solubility is the ability of one substance to dissolve in another. Which of the items below are examples of solubility? chlorine and the water in a swimming pool a hamburger with ketchup	
we say that the substance is soluble. Solubility is the ability of one substance to dissolve in another. Which of the items below are examples of solubility? chlorine and the water in a swimming pool a hamburger with ketchup	



ADVANCED GENERAL EDUCATION PROGRAM

A HIGH SCHOOL SELF-STUDY PROGRAM

ENERGY, MATTER, THEORY AND LAW

LEVEL:

UNIT:

LESSON: 4



U.S. DEPARTMENT OF LABOR NOVEMBER 1969



1 ·	
PREVIEW FRAME	·
You already know that matter can be changed from one state to another, and that changing the state of a substance does not change it into a different substance.	
In this lesson, you will see how substances are changed into different substances, and the importance of this kind of change.	
NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME
2.	
The molecules of which state of matter are moving the fastest?	
gas liquid solid	gas
The molecules of which state of matter are moving the slowest?	
gas liquid solid	solid
The movement of a substance's molecules <u>increases</u> when we:	·
add heat take away heat	add heat
The movement of a substance's molecules <u>decreases</u> when we:	
add heat take away heat	take away heat
	·




3.	
That which has the ability to move matter is called energy.	
Heat is an example of energy because:	
it increases the movement of molecules	it increases the movement of molecules
it decreases the movement of molecules	morecares
4.	
You have probably read or heard of incidents in which a loud sound has caused glass to shatter. For example, when the atom bomb was tested in New Mexico, there were reports that the sound of the blast broke windows many miles away.	
Now you know that glass is composed of molecules and you can understand what happens: the sound causes the molecules of the glass to move; as they move out of place, the glass shatters.	
Sound:	
☐ is a form of energy ☐ does not have the ability to move matter	is a form of energy
has the ability to move matter	has the ability to move matter
5.	
Sound and heat:	
do not have the ability to move matter have the ability to move matter	have the ability to move matter
Sound and heat are:	·
forms of energy forms of matter	forms of energy

ERIC

Full Text Provided by ERIC

5a.

Light can also put matter into motion. You have probably heard of sunlight and a magnifying glass being used to start a fire. A magnifying glass causes the rays of sunlight to bend so that they form one very strong ray (see the drawing below). This strong ray produces heat which will eventually cause a substance (such as paper or dried leaves) to catch on fire.



CHECK the forms of energy in the list below:

	gas	
	heat	
	light	
	a magnifying	glass
П	sound	

heat light

sound



4.	LABEL to and <u>PC</u>	he ch	ange ey rep	s below <u>CC</u> if they represent a chemical operation of the control	change,
	a.			a burnt marshmallow	
	b.		_	the manufacture of bread crumbs from bre	ead
	c.		_	the manufacture of sawdust from wood	
	d.			the melting of butter	
	е.			a tree set on fire by lightning	
5.	Which o	of the	follo	owing statement(s) is/are scientific laws:	?
	a.		Mat	ter can be converted into energy.	
	b.		Som alte	etimes all of the properties of a substanc red in a physical change.	e are
	c.		One	kind of matter can never be changed into ther kind of matter.	
Tim	e comple	ted			
WHE	N YOU H	AVE	FINIS	HED THIS TEST WRITE DOWN THE TIME	TUEN TAKE

THE LESSON TO YOUR INSTRUCTOR OR HIS ASSISTANT FOR CHECKING. WAIT UNTIL THE LESSON IS APPROVED BEFORE GOING ON TO THE NEXT LESSON.

You know that we can use electricity to produce sound and heat. The phonograph and electric stove are examples of electricity putting matter into motion. Is electricity a form of energy?	
□ no □ yes	yes
7.	
The forms of energy you have just learned (heat, sound, light, and electricity) can be interchanged.	
Exactly what happens when each form of energy is changed, or converted, to another form of energy will be explained in later lessons.	
You already know that electricity can produce sound, heat, and light.	
If we let H represent heat L represent light S represent sound, and E represent electricity;	
we can use a shorthand method to say that electricity can be changed to heat:	
E→H	
CHECK the shorthand statements below that are true:	
☐ E→S ☐ L→H ☐ E→L	E→S L→H E→L
8.	
NAME four forms.of energy:	heat light electricity sound (any order)

ERIC Full Text Provided by ERIC

1. Can the items listed below be classified as matter or energy? Are there some items listed that cannot be classified as either matter or energy?

		Matter	Energy	Neither Matter nor Energy
A.	a container			
В.	an inch			
c.	invisible ink			
D.	the sound of music			
E.	sunlight			
F.	your thoughts			

2.	Light,	sound,	and	electricity:
- •		004,	4114	CICOUICILY.

- a.

 are forms of matter
- b.

 can be converted into heat
- c. have volume

3. When $\underline{\text{all}}$ the properties of a substance change, the substance has gone through a:

- a. \square chemical change
- b. physical change





9.	
LABEL the items below either \underline{M} for matter or \underline{E} for energy:	
an electric stove	М
the heat from an electric stove	E
a light bulb	М
the light from a light bulb	E
light reflected from a mirror	E
a mirror	М
Heat is the form of energy that is involved in most of our daily activities. First of all, it is the form of energy that our bodies use to carry on life's activities. The energy that comes from burning coal, oil, and gasoline is released in the form of heat. Many electrical processes also involve heat. For this reason measuring the quantity of heat is one of the easiest and most important ways of measuring energy. NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAN



MASTERY TEST

Time started



	_ 	
	11.	
	Recall for a moment that you learned about units in the metric and English systems that are used for length, area, volume and weight.	
	A quantity of heat is also measured in both the English and metric systems.	
	A <u>British thermal unit</u> (B.T.U.) is defined as the quantity of heat required to raise the temperature of one pound of water from 59° to 60° F.	
	A <u>calorie</u> is defined as the quantity of heat required to raise the temperature of one gram of water from 15° to 16° C.	
	MATCH the terms below with the system in which they are used to measure a quantity of heat:	
	A. calorie 1 Centigrade B. B.T.U. 2 English 3 Fahrenheit 4 Metric	1. A 2. B 3. B 4. A
•	12.	
	Calories and B.T.U.'s are used to measure:	
	the amount of heat required to change the temperature of a substance	the amount of heat required
	the temperature of a substance	
	Which is a part of the metric system of measurement?	
	□ B.T.U.'s □ calories	calories
	·	
•	12	9
	-	-

OPINION

what someone thinks or believes

FACT

EXAMPLE: New York is a nice city

something that is true beyond a doubt

EXAMPLE: New York is the largest city in the United States

SCIENTIFIC LAW

SCIENTIFIC THEORY

a scientific fact

a scientific opinion



13.	
The quantity of heat is related to the number and the motion of the molecules of a substance. The more molecules a substance has and the greater the motion of its molecules, the more heat the substance will have.	
Temperature is only a measure of the degree of hotness.	
Two substances may have the same degree of hotness but contain different quantities of heat.	
This is not as difficult to understand as you may think. GO ON TO THE NEXT FRAME and you will see that you are already familiar with examples of this fact.	
NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME
14.	
When you come into a very cold room and light a fire or turn up the heat, you raise the temperature of the air in the room more quickly than you raise the temperature of some objects in the room. In other words, the air will warm up after a few minutes, but metal objects (like a fork or a metal venetian blind) will take longer to reach the same temperature.	
It would require more heat to raise the temperature of:	
a piece of steel l foot square one cubic foot of air	a piece of steel I foot square
15.	
If the temperature of a piece of steel and a gas that occupies the same amount of space is 78°F., the:	
gas and the steel will contain equal quantities of heat	
gas will contain a greater quantity of heat	
steel will contain a greater quantity of heat	steel will contain a greater
	•



ENERGY

that which has the ability to move matter

EXAMPLE: heat increases the movement of molecules: therefore, heat is a form of energy

sound, light, and electricity are also forms of energy

MEASURING ENERGY

when we measure the quantity of heat, sound, light or electricity, we are measuring energy

QUANTITY OF HEAT

quantity of heat is related to the number and the motion of the molecules of a substance; the more molecules a substance has and the greater the motion of its molecules, the more heat the substance will have

EXAMPLE: if the temperature of a piece of steel and of a gas that occupies the same amount of space is 78°F, the steel will contain a greater quantity of heat

BRITISH THERMAL UNIT (B. T. U.)

the quantity of heat needed to raise the temperature of one pound of water 10 F

CALORIE

the quantity of heat needed to raise the temperature of one gram of water 10C

calories and B.T.U.'s are used to measure the amount of heat required to change the temperature of a substance

CHEMICAL CHANGE IN THE PROPERTIES OF MATTER

a change that produces a new substance with totally new properties

PHYSICAL CHANGE IN THE PROPERTIES OF MATTER

EXAMPLE: burning paper into ashes

a change that alters some properties of a substance but does not produce a new substance

EXAMPLE: freezing water into ice; the state has changed, but the substance remains the same



MATCH the columns below: A. a B. T. U. I. measures a quantity of heat in the metric system. B. the Centigrade 2. measures the degree of thermometer hotness in the metric system. C. the Fahrenheit 3. measures the degree of thermometer hotness in the English system. D. a calorie 4. measures a quantity of 4. hotness in the English system.	
A. a B. T. U. lmeasures a quantity of heat in the metric system. B. the Centigrade 2measures the degree of thermometer hotness in the metric system. C. the Fahrenheit 3measures the degree of thermometer hotness in the English system. 1. D. 2. B.	
in the metric system. B. the Centigrade 2 measures the degree of thermometer hotness in the metric system. C. the Fahrenheit 3 measures the degree of thermometer hotness in the English system. 3. C.	
B. the Centigrade 2measures the degree of thermometer hotness in the metric system. C. the Fahrenheit 3measures the degree of thermometer hotness in the English system. 3. C.	
thermometer hotness in the English system.	
D. n. n. lawin	
D. a calorie 4. A. heat in the English system.	
17.	
REVIEW FRAME	
Shape, color, taste, hardness, and odor are:	
☐ states of matter ☐ properties of matter ☐ properties of matter	
When water turns to ice:	
☐ it becomes a new substance ☐ it is the same substance it is the same substance	,
When ice turns to water, it loses its shape. Are all the properties of water in the solid state the same as the properties of water in the liquid state?	
□ yes □ no no	
18.	
If we cut a piece of wood into two parts, do we change all of the properties of the wood?	
□ yes □ no no	
Each piece of the wood is:	
the same substance the same substance	



<u> </u>	
32. Can a chemical change such as burning produce a form of energy? yes no	yes
When we burn matter, the matter is not actually converted to energy, since none of the matter is lost. In a later lesson, you will see how matter can actually be converted to energy. (M ->E) We will also describe the change of energy into matter. (E ->M) The fact that matter and energy can be interconverted is a scientific law. It is one of the most interesting and important discoveries that man has made. You will learn more about this change in later lessons.	A second
YOU HAVE NOW FINISHED THE FIRST PART OF THIS THE TIME. THEN, AFTER YOU HAVE REVIEWED THE FOLLOWING SUMMARY, TAKE THE MASTERY TEST LET.	IE MAIN IDEAS IN THE

ERIC **
*Full text Provided by EBIC

1	9
	9 E
CHECK the properties that are changed as a result of burning the cigarette: color	color cdor taste shape solubility
The properties that can be used to describe a cigarette before and after it has been lit are listed below.	
When we grind nuts, do we change the substance?	no
When we mash a potato, do we change the substance?	no
If we freeze or melt a substance, or cut it up into small pieces, or grind it or chip it, we do not change the substance. We may change one or more of its properties, but we do not change all of its properties.	



The second of th

29.	
A scientific law is:	
always true sometimes true	always true
A scientific theory is:	
always true sometimes true	sometimes true
30.	
In previous frames, we talked about changes that could involve the forms of energy.	
We will now see that the forms of energy are also involved in changes that take place in matter.	
NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME
31.	
CHECK the things that happen when we burn wood:	
☐ A new substance is formed.	A new substance
☐ Light is given off from the burning wood.	Light is given
☐ The properties of wood are completely changed.	The properties of wood
☐ Heat is given off from the burning wood.	Heat is given off
	·
	•

<u>, .,</u> .



21.	
Burning changes all of the properties of a substance.	
When all of the properties of a substance have been changed, the substance has been changed.	
When we burn wood, do all or some of its properties change?	
all some	ali
When we burn wood, do we change the substance?	
□ no □ yes	yes
When we burn paper, do all or some of its properties change?	
all some	all
When we burn paper, do we change the substance?	
no yes	yes
22.	
Coal and the ash left after burning coal are:	
different substances the same substance	different substances
Coal has properties that are:	·
the same as the properties of ash except that the shape of the coal has been changed	
□ totally different from the properties of ash	totally different
•	,



27.	•
When someone says what they think is true, they are giving us their <u>opinion</u> .	
When someone tells us something that is true beyond any doubt, they are stating a <u>fact</u> .	
LABEL the statements below that are opinions with an \underline{O} . LABEL the statements that are facts with an \underline{F} .	
l The world is round.	F
2 It will rain 3 days from today.	0
3 There are people on Mars.	0
4 There will be a third world war in one year.	0
5 Night and day occur because the earth turns on its axis.	F
28.	
.The words fact and opinion also have a place in scientific language.	
A scientific fact is a <u>law</u> . A law is always <u>true</u> . For example, when we bur wood, a new substance is always produced.	
A scientific opinion is a theory. A theory explains what seems to be true. Sometimes a theory is proven to be false after more experiments are made; sometimes it is proven to be true. An example of a theory is: atomic bomb testing disturbs the seasons.	
LABEL the statement(s) below that represent(s) a law with an \underline{L} and those that represent a theory with a $\underline{\underline{T}}$.	
l The molecules of a solid are more closely packed together than the molecules of a gas.	L
2 There are forms of life on other planets that are similar to the forms of life found on earth.	T



	23.	
	When a change occurs that produces a <u>new substance</u> with actally new properties, we say that a <u>chemical</u> change has taken place.	
	When a change occurs that alters some of the propertie of a substance but does <u>not</u> produce a new substance, we say that a <u>physical change</u> has taken place.	
	When we burn wood, a:	
	chemical change occurs physical change occurs	chemical change occurs
•	When we freeze water, a:	
	chemical change occurs physical change occurs	physical change occurs
;	24.	
1	Burning always produces a chemical change.	,
ı	A change from one state of matter to another state of matter is always a physical change.	
(ABEL the items below with <u>CC</u> if they represent chemical changes, and with a <u>PC</u> if they represent physical change:	·
	l water boiling	PC
	2ice cream melting	PC
	3 cigarette burning	cc
	4 gasoline burning in a moving car	cc
	·	



tion or an area or a respective so the section of t

25.		
MATCH the correct cha	aracteristics of each change:	
A. A chemical change B. A physical change		1. A
	changes some of the properties of a substance	2. B
	3produces a new substance	3. A
	4 does not produce a new substance	4. B
26.		
PREVIEW FRAME		
When scientists use won that take place in the wo	rds to talk about the changes orld, they try to be as exact	
	you do not always use exact use the word <u>millions</u> to make ean <u>hundreds</u> or just <u>a lot</u> of	,
few frames, you will leave	t you think is true without rit is true or not. In the next rn what words scientists use true or that something <u>may be</u>	
NO RESPONSE REQUIRED		GO ON TO THE NEXT FRAME

ADVANCED GENERAL EDUCATION PROGRAM

A HIGH SCHOOL SELF-STUDY PROGRAM

THE PARTICLES AND STRUCTURE OF MATTER

LEVEL:

UNIT:

LESSON: 5



U.S. DEPARTMENT OF LABOR
MANPOWER ADMINISTRATION, JOB CORPS
NOVEMBER 1969



U.S. DEPARTMENT OF LABOR
MANPOWER ADMINISTRATION, JOB CORPS
NOVEMBER 1969



1.	
PREVIEW FRAME	
In the first lesson, you learned that the smallest possible amount of a substance is called a molecule.	
In this lesson you will learn that molecules are composed of even tinier particles and that all substances are basically composed of the same kinds of tiny particles.	
NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME
2.	
The molecules of all the different kinds of matter in the world are made up of extremely tiny particles.	·
Tiny particles make up:	
a molecule of the paper you are writing on a molecule of your hand your thoughts	a molecule of the paper a molecule of your hand
	·



7.	A co	mpound	is	a	res	ult	of	a	:
----	------	--------	----	---	-----	-----	----	---	---

a.	chemical	change
b.	physical	change

Time	completed	

WHEN YOU HAVE FINISHED THIS TEST, WRITE DOWN THE TIME. THEN TAKE
THE LESSON TO YOUR INSTRUCTOR OR HIS ASSISTANT FOR CHECKING. WAIT
UNTIL THE LESSON IS APPROVED BEFORE GOING ON TO THE NEXT LESSON.

3.	
In the first lesson, we represented a molecule by a small circle.	
The particles that make up a molecule can also be represented by small circles. If we could see a molecule and the tiny particles that a molecule is composed of, we would see that the molecule is much larger than the tiny particles from which it is made.	
The circles below represent tiny particles.	
0 0 0	•
If you had to draw a circle representing a molecule next to them, you would draw a circle:	
much larger than the ones above much smaller than theones above the same size as the ones above	much larger than the ones above
·	•
•	
; ,	
¥: 1	•

ERIC **
Arull fast Provided by ERIC

PANEL 1

Drawing No. 1



Drawing No. 2



Drawing No. 3





_		
	4.	
	LOOK AT PANEL 1 (Page 3)	
	Drawing No. 1 on Panel 1 shows two particles next to one another. The arrows show the effect that the two particles have on one another. The arrows show that the particles:	
	attract one another	attract one another
	repel one another	
	neither attract nor repel one another	
	Drawing No. 2 shows two more particles. These particles:	
	attract one another	
	repel one another	repel one another
	neither attract nor repel one another	,
	The particles in Drawing No. 3:	
	attract one another	
	repel one another	
	neither attract nor repel one another	neither attract nor repel one another
	·	



1.	If one particle has a positive charge and another particle has a negative charge, they will:
	 a. attract one another b. repel one another. c. neither attract nor repel one another.
2.	MATCH the items below with the charge that they carry:
	A. no charge 1 the atom as a whole
	B. negative charge 2 an electron
	C. positive charge 3 a neutron
	4 a proton
3.	An atom always has the same number of what two particles?
	a. electrons b. neutrons
	c, protons
4.	The atomic mass of an atom is equal to the number of its:
	a. electrons and protons b. protons
	c. protons and neutrons
5.	The atomic number of an atom is equal to the number of its:
	a. electrons and protons b. protons
	c. protons and neutrons
6.	The smallest part of an <u>element</u> is:
	a. 🗌 an atom b. 🔲 a molecule
	Skip one(1) page for question 7.



5.	
REFER TO PANEL 1	
By looking at the particles on the panel, you can see that attraction or repulsion occurs between:	
☐ all particles ☐ some particles	some particles
.6.	
Particles that attract or repel one another have electric charges.	
REFER TO PANEL 1	
CHECK the particles represented in Panel 1 that have electric charges:	
those in Drawing No. 1 those in Drawing No. 2 those in Drawing No. 3	No. 1 No. 2
7.	
Particles with electric charges:	
 attract one another repel one another neither attract nor repel one another 	attract one another repel one another
·	



MASTERY TEST

Time started _____



8.	
There are two types of electric charges: a <u>positive</u> charge and a <u>negative</u> charge. A positive charge is represented by a plus sign "+" and a negative charge is represented by a minus sign "-".	
A particle with the sign "+" would be a particle with:	
a negative charge	
a positive charge	a positive charge
no charge	
A particle with the sign "-" would be a particle with:	
a negative charge	a negative charge
a positive charge	
no charge	
A particle with neither the sign "+" nor the sign "~" would be a particle with:	
☐ a negative charge	
a positive charge	
no charge	no charge
	1



Supplied the second of the second of the second of the second of

ATOMIC PARTICLES

two particles with the same charge repel one another

EXAMPLE: two electrons repel one another

two particles with opposite charges attract one another

EXAMPLE: a proton and an electron attract one

another

a particle with no charge and a particle with a positive or a negative charge neither attract nor repel one another

EXAMPLE: a neutron and a proton (or an

electron) neither attract nor

repel one another

ELEMENT

each <u>different</u> type of atom; there are 103 different types of atoms known to man; therefore, there are 103 elements; each element has a name and a symbol

EXAMPLES: Calcium (Ca)

Bromine (Br)

Antimony (Sb), etc.

a substance produced by the combination of 2 or more elements that have reacted chemically with one another

EXAMPLE: carbon + oxygen = carbon dioxide

an atom is the smallest part of an element in the uncombined state

a molecule is the smallest part of a compound

COMPOUND

COMPARING ATOMS AND MOLECULES



9.	
WRITE the number of the type of charge by the sign that stands for it:	
1. negative charge +	3. +
2. no charge	1
3. positive charge	
	·
·	
	·
·	
	·

我一大人就是一人的人不是我们不会把你在我不过去我也不好死

には、20mmにからはないないというないできないのである。 のでは、10mmに対象がある。 のでは、10mmに対象がある。 10mmに対象がある。 10mmに対象がの。 10mmに対象がの。 10mmに対象がの。 10mmに対象がの。 10mmに対象がの。 10mmに対象が

ERIC Full text Provided by ERIC

ELECTRIC CHARGES

that property of particles that causes them to attract or repel one another

there are two types of electric charges: a positive (+) charge and a negative (-) charge

MOTA

atoms are made up of protons, neutrons, and electrons

the number of protons and electrons in an atom is always equal; the atom as a whole has no electric charge

PROTON

a particle with a positive charge

ELECTRON

a particle with a negative charge

NEUTRON

a particle with no charge

NUCLEUS

center of the atom; made up of protons and neutrons; has a positive charge

ELECTRON ORBIT

circular path that the electrons follow around the nucleus; the negatively charged electrons in orbit are attracted to the positively charged nucleus

the more energy an electron has, the farther away its orbit will be from the nucleus

an atom may have anywhere from 1 to 7 electron orbits; the 7 orbits are designated by their letters: the first orbit (innermost) is designated by K; the second orbit, L; the third, M; the fourth, N; the fifth, O; the sixth, P; and the seventh, Q

the distance from the center of the nucleus to the outermost orbit of the atom

number of protons in an atom

total number of protons and neutrons in an atom

ATOMIC RADIUS

ATOMIC NUMBER

ATOMIC MASS NUMBER



10.					
		⊕		Θ	
	0		0		
⊖		Θ		⊕	+ d
	⊕		0		
					·
The drawing matter. The charge of th The drawing	e signs in ne particl	iside the	circles si	cles that make undersised the clearing the electric clear with:	P
	ive char		•		negative charges
posit	ive charg	es			positive charges
no ch	arge				no charge
How many d	lifferent t	ypes of p	articles a	re there?	3
					1



1		
i	77.	·
	REFER TO PANEL 4 IF NECESSARY	·
	All substances are composed of tiny particles called electrons, protons, and neutrons.	
	CHECK each of the following that is composed of these particles:	
	a compound an atom an element a substance carbon dioxide copper happiness light magnesium sulfide nickel sound sulfur	a compound an atom an element a substance carbon dioxide copper
,	magnesium sulfide nickel sound sulfur	magnesium sulfide nickel sulfur
	78. Of the 103 elements, only 6 never combine to form compounds. Sometimes a compound is a combination of only 2 different elements; sometimes it is a combination of many different elements. From this information, you can say that there are: many different substances in the world not many different substances in the world	many different
	In later lessons you will learn how elements combine to form compounds and why elements form the combinations that they do. Time completed YOU HAVE NOW FINISHED THE FIRST PART OF THE TIME. THEN, AFTER YOU HAVE REVIEWED T	
	FOLLOWING SUMMARY, TAKE THE MASTERY TEST	T AT THE END OF THE BOOK-



11.				
a particle with a	positive charge is negative charge is th no charge is cal	called an electron;		
MATCH the draws on the left;	ings on the right be	elow with the names	.=1	
A. electron		O ——	В	
B. neutron		Θ ——	A	
C. proton		—	C	
12.				
You know that the an atom, and tha	ere are three types t each has a differ	of particles within ent type of charge.		
USE this informat the sentences be	tion to FILL IN the low:	missing letters in		
Am 1 mm - 4 -		•		
An _1_ctron is	a particle with a n	_gativ_ charge.	electron, neg	ativ <u>e</u>
	particle with a n		<u>ele</u> ctron, n <u>e</u> g	ativ <u>e</u>
A_eutron is a		harge.		_
A_eutron is a	particle with _o ch	harge.	<u>n</u> eutron, <u>n</u> o	_
A_eutron is a part of the second seco	particle with _o chearticle with a _osi	harge.	<u>n</u> eutron, <u>n</u> o	_
A_eutron is a part of the second seco	particle with _o chearticle with a _osi	harge, itive charge,	neutron, no proton, positi	_
A_eutron is a part of the second seco	particle with _o chearticle with a _osi	harge. itive charge. rticle they represent:	neutron, no proton, positi	_
A_eutron is a part of the second seco	particle with _o chearticle with a _osi	harge, itive charge, rticle they represent; electron	<u>n</u> eutron, <u>n</u> o	_
A_eutron is a part of the symbol of the symb	particle with _o chearticle with a _osi	harge. itive charge. rticle they represent: _ electron _ neutron	neutron, no proton, positi	_
A_eutron is a part of the symbol of the symb	particle with _o chearticle with a _osi	harge. itive charge. rticle they represent: _ electron _ neutron	neutron, no proton, positi	_
A_eutron is a part of the symbol of the symb	particle with _o chearticle with a _osi	harge. itive charge. rticle they represent: _ electron _ neutron	neutron, no proton, positi	_
A_eutron is a part of the symbol of the symb	particle with _o chearticle with a _osi	harge. itive charge. rticle they represent: _ electron _ neutron	neutron, no proton, positi	_



75.			
REFER TO PANEL 4			ı
	ement is an atom. Put an <u>A</u> rt of a substance that could be		'
The smallest part of a com M in front of the smallest could be a molecule.	npound is a molecule. Put an part of a substance that		
brass		М	
copper		A	
oil		М	
soda		M _.	
sulfur		A	
zinc		A	
		· -	
76.	•		
MATCH the columns below	w:		-
A. atom	1 a compound	1. C	
B. molecule	2 an element	2. C	
C. substance	3 the smallest possible part of an	3. A (and C)	
	element in the un- combined state		
	the smallest possible part of elements in the combined state	4. B (and C)	
·			
	4	50	
		4/()	




14.								
FILL IN the blan	nks:							
_l_ctron	n_ga	tiv_ charg	е	į	<u>ele</u> ctro	on n	<u>e</u> gativ <u>e</u> (harge
_eutron	_0 0	charge			<u>n</u> eutro	n <u>n</u>	o charge	
_roton	_osi	tive charg	е		proton	р	ositive o	harge
15.								
		h =1						
CHECK the appr	opriate boxes	pelow:						
	positive charge	negative charge	no charge		pos.	neg. ch.	no ch.	
electron						X		
neutron						. 🗆	X	
proton					X			
•								




٤.

PANEL 2


Drawing No. 1



Drawing No. 2



Drawing No. 3



	<u> </u>
16.	
LOOK AT PANEL 2	
Drawing No. 1 shows that two particles with the same charge:	
attract one another	·
neither attract nor repel one another	·
repel one another	repel one another
Drawing No. 2 shows that two particles with opposite charges:	
attract one another	attract one another
neither attract nor repel one another	
repel one another	
Drawing No. 3 shows that a particle with no charge and a particle with a positive or a negative charge:	-
neither attract nor repel one another	neither attract nor repel one
. ,	
,	
	·



74.	
REFER TO PANEL 4	
When we talk about the smallest possible part of an element in the uncombined state, we use the word <u>atom</u> .	
When we talk about the smallest possible part of a compound (chemically combined elements), we use the word molecule.	-
Can you have an atom of gold?	
no yes	yes
Can you have an atom of carbon dioxide?	
no yes	no
Can you have a molecule of iron?	
no yes	no
Can you have a molecule of iron oxide?	
no yes	yes
Gold, carbon dioxide, iron, and iron oxide are:	
all substances not substances	all substances



17.	
REFER TO PANEL 2	
Attraction occurs between:	
a particle with no charge and a particle with a positive or a negative charge	
two particles with opposite charges	two particles with opposite
two particles with the same charge	
tin i i i i i i i i i i i i i i i i i i	
Which two particles attract one another?	
electron	electron
neutron	
proton	proton
	<u> </u>
	į
	}



72.	,
REFER TO PANEL 4	
A substance produced by the combination of two or more elements that have reacted chemically with one another is called a <u>compound</u> .	
LABEL the substances that are elements <u>E</u> and those that are compounds <u>C</u> :	
bread	С
gold	E
hydrogen	E
oxygen	E
water	c
wood	С
73.	
When we use the word <u>substance</u> , we are referring to:	
 elements and compounds only compounds only elements 	elements and compounds
	· · · · · · · · · · · · · · · · · · ·
j	



18. The particles that make up matter are arranged in a special way. The drawing above shows the arrangement. The drawing shows that in the center there are: particles with a negative charge particles with a positive charge particles with a positive charge particles with no charge particles with no charge And traveling around the center there are: particles with a negative charge particles with a negative charge particles with a positive charge particles with no charge



	
70.	
If the elements silver and gold are mixed together in a pan, nothing happens. After a few minutes, the gold and the silver can be removed and separated.	
If, however, the silver is mixed with the element chlorine, the elements combine and a completely new substance is produced (called silver chloride).	
When a change occurs that produces a new substance we say that:	
a chemical change has occurred a physical change has occurred no real change has occurred	a chemical change
Silver chloride is an example of a:	
chemical change that has occurred physical change that has occurred none of the above	chemical change
71.	
When two elements combine to form a new substance, we say that they have gone through a chemical change or that they have <u>reacted chemically</u> .	
In the list of substances below, CHECK the items which are examples of elements that have reacted chemically:	
carbon carbon dioxide iron oxide sodium sodium chloride	carbon dioxide iron oxide sodium chloride



19. The electrons, protons, and neutrons that make up matter are not mixed together in a random fashion. They are arranged in the special way shown above. The drawing shows that in the center of the arrangement there are: electrons ☐ neutrons neutrons protons protons Traveling in a circular path around the center there are: electrons electrons neutrons protons




67.	
REVIEW FRAME	
We have two <u>substances</u> if we have:	
two different kinds of matter	two different kinds of matter
two forms of energy	
two objects that are the same kind of matter	·
A molecule is a word used to refer to:	
a particle such as a proton	
anything that is too small to be seen	
\square the smallest possible amount of a substance	the smallest possible
68.	
Each of the 103 elements is a different kind of matter.	
So if you had 10 atoms of each of the 103 elements, you would have:	
\square 10 x 103 elements (1,030 elements)	
☐ 10 substances	
☐ 103 substances	103 substances
☐ 10 x 103 substances (1,030 substances)	
69.	
You are probably wondering why there are so many different kinds of matter in the world if there are only 103 elements.	
This will be explained in the next few frames.	
NO RESPONSE REQUIRED	GO ON TO THE NEXT FRAME



20.

An arrangement such as that shown in the last frame is called an <u>atom</u>. The center of the atom is called the <u>nucleus</u>, and the circular path that the electrons follow around the nucleus is called an orbit.

LABEL the drawing below:



This drawing represents a(n) ______.

NOTE NOTE NOTE NOTE NOTE Skip one(1) page to find page 17 and 18.

orbit

nucleus

atom ·




65.	
LOOK AT PANEL 4	
In addition to a name, each element has a symbol made up of 1 or 2 letters which are usually, but not always, taken from the name of the element. For example, the symbol for the element named calcium is Ca.	
What is the symbol for the element named antimony?	Sb
Are the letters in this symbol taken from the name of the element?	
☐ yes	
□ no	no
What is the symbol for bromine?	Br
Are the letters for this symbol taken from the name of the element?	
☐ yes	yes
□ no	
·	
66.	
Each element has a:	
name	name
symbol	symbol



PANEL 4

	ELEMENT	SYMBOL	AT. NO.	ELEMENT	SYMBOL	AT. NO.
	Actinium	Ac	89	Mercury	Hg	80
	Aluminum	Al	13	Molybdenum	Мо	42
	Americium	Am	95	Neodymium	Nd	60
	Antimony	Sb	51	Neon	Ne	10
	Argon	Α	18	Neptunium	Np	93
	Arsenic	As	33	Nickel	Ni	28
	Astatine	At	85	Niobium	Nb	41
	Barium	Ba	56	Nitrogen	N	7
	Berkelium	Bk	97	Nobelium	No	102
	Beryllium	Be	4	Osmium	Os	76
	Bismuth	Bi	83	Oxygen	0	8
	Boron	В	5	Palladium	Pd	46
	Bromine	Br	35	Phos phorus Phos phorus	P	15
	Cadmium	Cd	48	Platinum	Pt	78
	Calcium	Ca	20	Plutonium	Pu	94
	Californium	Cf	98	Polonium	Po	84
	Carbon	C	6	Potassium	K	19
	Cerium	Ce	58	Praseodymium	Pr	59
	Cesium	Cs	55	Promethium	Pm	61
	Chlorine	Cl	17	Protactinium	Pa	91
	Chromium	Cr	24	Radium	Ra	88
	Cobalt	Co	27	Radon	Rn	86
	Copper	Cu	29	Rhenium	Re	75
	Curium .	Cm	96	Rhodium	Rh	45
	Dysprosium	Dу	66	Rubidium	Rb	37
	Einsteinium	Es	99	Ruthenium	Ru	44
	Erbium	Er	68	Samarium	Sm	62
	Europium	Eu	63	Scandium	Sc	21
	Fermium	Fm	100	Selenium	Se	34
	Fluorine	F	9	Silicon	Si	14
	Francium	Fr	87	Silver	Ag	47
	Gadolinium	Gd	64	Sodium	Na	11
	Gallium	Ga	31	Strontium	Sr	38
	Germanium	Ge	32	Sulfur	S	16
	Gold	Au	79	Tantalum	Ta	73
	Hafnium	Hf	72	Technetium	Tc	43
	Helium	He	2	Tellurium	Te	52
	Holmium	Но	67	Terbium	Tb	65
	Hydrogen	H	1	Thallium	Tl	81
	Indium	In	49	Thorium	Th	90
	Iodine	I Too	53	Thulium	Tm	69
	Iridium	Ir Do	77 26	Tin	Sn	50
	Iron	Fe	26	Titanium	Ti	22
	Krypton	Kr	36 57	Tungsten	W	74
	Lanthanum Lawrencium	La	57 102	Uranium	บ 	92
		Lw Pb	103 82	Vanadium	V	23
	Lead Lithium	Pb Li	3	Xenon	Xe	54
	Lithium Lutetium	Li Lu	3 71	Ytterbium	Yb	70
	Lutetium Magnesium	Lu Mg	12	Yttrium .	Y	39
	Magnesium Manganese	M n	12 25	Zinc	Zn Zn	30 .
AF	Mendelevium	Md	101	Zirconium	Zr	40
45	147 & HIME TEATMII	IAT	101			



21.						
LOOK AT PANEL 3 (Page 17).						•
PANEL 3 shows three	PANEL 3 shows three atoms. These atoms each have:					
a different nu and neutrons	mbers of prot	tons, elect	rons,	a dif	ferent nu	mber
the same num and neutrons	the same number of protons, electrons, and neutrons					
	•					
22.						
REFER TO PANEL 3						
By inspecting the drav table:	vings, FILL I	N the follo	wing			
	Atom A	Atom B	Atom C	Ator.ı A	Atom B	Atom C
number of electrons in orbit				1	6.	ıı
number of neutrons in nucleus				О,	6	12
number of nuclei*				1	l	1
number of orbits				1	2	3
number of protons in nucleus				1	6	II
				!		
			;			
·						
*The plural form of nu	cleus is nucl	ei.				



63.	
MATCH the phrases below so that both statements will be true:	
A. All the atoms of an l have different element atomic numbers	1. B
B. The atoms of different 2 have the same elements atomic numbers	2. A
64.	
LOOK AT PANEL 4 (Page 45).	·
Each of the 103 elements has a name. Gold, silver, and aluminum are the names of some elements with which you are probably already familiar. The names of all 103 elements are listed alphabetically in PANEL 4.	
Is actinium an element?	
☐ yes	yes
□ no	
Is barium an element?	
☐ yes	yes
□ no	



23.	
REFER TO PANEL 3	
The nucleus of an atom can have:	
one or more electrons one or more protons one neutron and no protons one proton and no neutrons	one or more protons one proton and no neutrons
Around the nucleus there can be:	
one or more electrons one or more neutrons one or more protons	one or more electrons
An atom can have:	
one or more orbits one or more nuclei	one or more orbits
·	·
·	·
·	
	•



CASSAL AND SELECTION OF THE SECOND OF THE SE

61.						
COMPARE the atomic mass a atom:						
	mass number	atomic number	mass numl	-	atomic number	
Which number(s) is/are based on neutrons?		0				
Which number(s) is/are based on protons?			X			
Which number is the same for all atoms of a given type?					Ø	
Which number varies even for types of atoms?			☒			
•						
						_
62.						
Since there are only 103 diffe						
world that are known to man, small, you can guess that the billions of each type of atom						
Each different type of atom is	s called an <u>e</u>	element.				
How many elements are know	103					
			-			



24. REFER TO PANEL 3.				
	Atom A	Atom B	Atom C	
number of electrons in orbit	1_1	6		
number of neutrons in nucleus	0	6	12	
number of protons in nucleus		6		
The table above gives and electrons in each o				
INSPECT the number of protons and the number of electrons in each atom. It appears that the number of protons and the number of electrons is:				
🗌 always equal				always equal
not always equ	al			·
INSPECT the number of protons and the number of neutrons in each atom. It appears that the number of protons and the number of neutrons is:				
always equal				
not always equal				not always equal
Which particle is not p	resent in Ato	om A?		
electron				
neutron				neutron
proton				•
·				

¥1

			•					
59.	tomic numbe	er of an ator	m ic hace	d on the r	umber			
of its		o. u u.o.	13 2030	u on the i	idilibei			
	electrons	5						
	neutrons							•
	protons					protons		
If two	atoms have	e a different	number o	of protons	:			
	they are d	ifferent type	es of atom	ns		they are d	ifferent types	of atoms
	they are the	he same typ rent masses	es of ator	ms but				
		••	_					
atom b	elow:	mass and t	4	Atomic	Atomic			
Atom		Neutrons	Protons	Mass	No.			
A	4	4	4			8	4	
В	13	13	13			26	13	
C	. 20	22	20			42	20	
					- 1			i




Which particles are always present in equal numbers in an atom? electrons	electrons protons
In our diagrams, the orbits are represented as concentric circles around the nucleus. Actually, orbits are only the paths that the electrons follow as they move at very high speeds around the nucleus. Thus, the number of orbits an atom will have is related to the number of its electrons. Which atom below has the greatest number of orbits? Atom A with 55 electrons Atom B with 2 electrons Atom C with 103 electrons	Atom C with 103 electrons



	58.		
	For convenience, each type of atom is assigned a number by which it can be easily identified. This number is based on the number of protons the atom contains. It is called the <u>atomic number</u> .		
	The atomic number of an atom with 72 protons is	72	
	An atom with an atomic number of 11 hasprotons.	11	
	Can you say what the atomic number of an atom with 17 <u>electrons</u> is?		
	☐ yes		
	□ no	no	
,	Can you say how many neutrons an atom with an atomic number of 100 has?		
	☐ yes		
	□ no	no	
	The <u>atomic number</u> of an atom is based on the number of its:	·	
ł	electrons		
	neutrons		
	☐ protons	protons	
	The <u>atomic mass</u> of an atom is based on the number of its:		
	☐ electrons		
	neutrons	neutrons	
İ	protons	protons	



The diagram below shows the maximum number of orbits an atom can have and the greatest number of electrons that can be found in any one orbit.





LOOK AT the diagram again. What is the maximum number of orbits an atom can have?

*It is too cumbersome to show every neutron, proton, and electron in an atom. Frequently the number of particles is simply indicated in the nucleus and in each orbit.

7



If an atom gains or loses one or more of its electrons, the uneven number of positive and negative charges causes the atom as a whole to have either a positive or a negative charge. However, an atom does not become a different type of atom unless the number of its protons is changed. Which particle would you guess can be used to identify which type an atom is?	
electron neutron proton	proton
57.	
An atom can contain from 1 to 103 protons.	
How many different types of atoms would you expect there to be?	103
The atomic mass of each atom is based on its:	
☐ electrons ☐ neutrons ☐ protons .	neutrons protons
'• .	·. •




	· · · · · · · · · · · · · · · · · · ·	
28.		
orbits	ters K L M N O P Q are used to designate the of an atom. They are always used in the same thus, the innermost orbit is always K; the second L; etc.	
After th	ne letter K, each orbit of an atom is given:	
	any letter of the alphabet	
	the next letter of the alphabet	the next letter .
	·	
•		
	•	



			_
	55.		
	REVIEW FRAME		
	In order for the atom as a whole to have no charge, which particles must be present in equal numbers?		
	electrons	electrons	
	☐ neutrons		
I	protons	protons	
I	·		
	·		
ł			
l			
		,	
	•		
l			
		·	
			l



WRITE IN the remaining letters for the orbits of the atoms snown below:



OPQ

The innermost orbit of any atom is the _____.


K orbit



53.				
The actual masses of it was decided to act ference between the the protons and the to its mass, the maindicated as the conneutrons. This is keep to the action of the connection of the connecti	dopt an easier we masses of diffe neutrons of an ass of an atom candined number o			
WRITE the atomic m	ass of each of th	ne following atoms:		
number <u>protons</u>		atomic mass		1
Atom A 2	2		4	
Atom B 16	15		31	
Atom C 10	<u>"</u> 11		21	
		-		
54.				
The atomic mass of of its:	an atom is based	d on the number		
electrons				
neutrons			neutrons	
☐ protons			protons	
				·
				i

ERIC Full Taxt Provided by ERIC

WRITE IN the letters used to designate the orbits of the atom shown below:




K L M N O P Q



51.	
If electrons were closer to the nucleus, the size of an atom would not be so great.	
Thus, what determines the size of an atom is primarily:	
☐ the electrons in their orbits	the electrons in their orbits
☐ the protons and neutrons in the nucleus	
	`
52.	,
Which particles contribute most to the mass of an atom?	
electrons	
☐ neutrons	neutrons
protons	protons
Which particles contribute most to the atomic radius of an atom?	
electrons	electrons
neutrons	
protons	
•	
	•
, se	





There is not an indefinite number of electrons in the orbit of an atom. For example, the K orbit never has more than 2 electrons. The maximum capacities of all the orbits are shown in the drawing above.

What is the greatest number of electrons that can be in the outermost crbit? _____

8



_		
	An electron contributes less than the proton or neutron to the mass of an atom, but it occupies more space than the proton or neutron. However, even the space occupied by an electron is dwarfed by the great space that is between it and the nucleus of the atom or an electron in the next orbit. Which is greatest? the space between the first and second orbit an atom the space occupied by an electron the space occupied by a proton	the space between the first
	The protons and neutrons are packed together very closely in the nucleus. This tightly packed core is surrounded by the electrons moving in their orbits. The space occupied by all the particles is very small compared to the space between the nucleus and the first orbit and between the first and second orbit, etc. Thus, an atom: consists mostly of tightly packed protons, neutrons, and electrons is mostly empty space	is mostly empty space



		<u> </u>				
32.	32.					
The number of electrons that are in any one orbit of an atom:						
☐ is no	ot known					
never exceeds the maximum capacity of that orbit			never exc	ceeds the	•	
				<u> </u>		
33.						
REVIEW FRAN	ME .					
CHECK the a	ppropriate boxes	below:	•			
	positive charge	negative charge	no charge	positive charge	negative charge	no charge
electron					X	
neutron						X
proton				□ □ ■		
i.					•	
) 	
					•	
					i i	
					· · · · · · · · · · · · · · · · · · ·	
					;	
					`-	
					, d	
				,		
						1




	47.		
	Atoms are so small that about 10,000 billion of them could be placed on a period like the one at the end of this sentence.		
	Thus, if we referred to the actual mass of an atom, we would use a number such as:		
i	•0000000000000000000000000000000000000		
	This represents the weight of one carbon atom. A carbon atom has 6 protons, 6 neutrons, and 6 electrons.		
	Which particle has the smallest mass?		
	a proton a speck of dust an atom	a proton	
	48.		
	Protons and neutrons are approximately equal in mass, but the mass of an electron is about 2000 times less than the mass of either a proton or a neutron.		
	Which particles contribute most to the mass of an atom?		
I	electrons		
	☐ neutrons ☐ protons	neutrons protons	
	•		
ı			




	
34.	
CONSIDER the total electric charge of an atom:	
Since a neutron has no charge, it does not contribute to the total electric charge of an atom.	
Although the charge on a proton and electron are equal in strength, they cancel one another out, because one is positive and the other is negative.	
Considering that protons and electrons are always present in equal numbers and that their charges are neutralized in an atom, you can guess that an atom as a whole has:	
a negative charge	
a positive charge no charge	no charge
35. Absence of an electric charge is characteristic of:	
an atom as a whole	an atom as a whole
☐ an electron ☐ a neutron	a neutron
a proton	
36.	
Which particles are found in the nucleus of an atom?	
electrons	
│	neutrons protons
	P. 010.1.5
	,



DRAW the atomic radius of the atom shown below:





(Or any line drawn from the center of the nucleus to the outermost orbit.)




37.	
The nucleus contains only protons and neutrons. Since neutrons have no charge, and protons have a positive charge, you can guess that the nucleus of an atom as a whole has:	·
a negative charge a positive charge no charge	a positive charge
Electrons have:	
a negative charge a positive charge no charge	a negative charge
38.	
Since electrons have a negative charge, and a nucleus as a whole has a positive charge, you would expect that electrons in orbit around a nucleus to be:	
attracted to the nucleus repelled by the nucleus	attracted to the nucleus
39.	
At this point you may be asking the question: If electrons are attracted to a nucleus, why don't they move toward the nucleus rather than stay in orbit?	
In a previous frame we said that electrons moved around the nucleus at very high speeds. From your understanding of energy as the ability to move matter, would you say that electrons possessed energy?	
yes no	yes



- Continue C

The radius, or diameter (twice the radius), is used to calculate the size of a circle or sphere. Since scientists have theorized that the atom probably has the shape of a sphere, we also speak of the radius of an atom.

The <u>atomic radius</u> is the distance between the center of a nucleus and the outermost orbit of an atom.



Which line drawn in the atom above represents its atomic radius?

Line	Δ

☐ Line B


☐ Line C

Line B




The energy an electron possesses would enable it to move away from the nucleus of an atom altogether if it were not for the attraction of the nucleus. Because the nucleus is a tightly packed, positively charged core, it draws the electron toward it.

In other words, the electron's orbital path may be considered as a compromise between the attraction of the nucleus and the energy the electron has that would enable it to fly off into space.



In the diagrams above, the three arrows that are darker than the others are leading away from the electron. One arrow represents the electron's attraction to the nucleus. Another arrow indicates the direction the electron would follow if it was not attracted to the nucleus. The third arrow represents the orbital path of the electron.

CIRCLE the arrow that represents the electron's compromise:





43.	, ,:
The more energy an electron has, the further away its orbit will be from the nucleus.	
An atom has 2 electrons in its K orbit, 8 electrons in its L orbit, and 3 electrons in its M orbit. The electrons of which orbit are most attracted to the nucleus?	·
☐ K orbit	-K orbit
L orbit	
☐ M orbit	
Which electrons have the most energy?	·
those in the K orbit	
those in the L orbit	
those in the M orbit	those in the M orbit
·	
·	
44.	
44. The electrons found in the outermost orbit of an atom are:	· ·
The electrons found in the outermost orbit of an atom	least attracted to the nucleus
The electrons found in the outermost orbit of an atom are:	least attracted to the nucleus
The electrons found in the outermost orbit of an atom are: least attracted to the nucleus	least attracted to the nucleus
The electrons found in the outermost orbit of an atom are: least attracted to the nucleus most attracted to the nucleus	least attracted to the nucleus
The electrons found in the outermost orbit of an atom are: least attracted to the nucleus most attracted to the nucleus These electrons have:	least attracted to the nucleus the most energy
The electrons found in the outermost orbit of an atom are: least attracted to the nucleus most attracted to the nucleus These electrons have: the least energy	
The electrons found in the outermost orbit of an atom are: least attracted to the nucleus most attracted to the nucleus These electrons have: the least energy	
The electrons found in the outermost orbit of an atom are: least attracted to the nucleus most attracted to the nucleus These electrons have: the least energy	
The electrons found in the outermost orbit of an atom are: least attracted to the nucleus most attracted to the nucleus These electrons have: the least energy	
The electrons found in the outermost orbit of an atom are: least attracted to the nucleus most attracted to the nucleus These electrons have: the least energy	



41.	
Would an electron stay in orbit around a nucleus that contained only neutrons?	
☐ yes	
□ no	no
Would an electron stay in orbit around a nucleus that contained only protons?	·
☐ yes	yes
□ no	·
Would an electron stay in orbit around the nucleus if it was not attracted to the nucleus?	
☐ yes	
□ no	no
•	
42.	·
The charges of protons and electrons are always the same; that is, the charge of a proton will always neutralize the charge of an electron. Knowing this, you may be wondering why all the electrons of an atom do not follow the same path around the nucleus.	
Which do you think is correct?	
The electrons in the second orbit of an atom have <u>less</u> energy than the electrons in the first orbit.	
The electrons in the second orbit of an atom have <u>more</u> energy than the electrons in the first orbit.	The electrons in the second orbit of an atom have more energy than the electrons in the first orbit.
	ERIC Clearinghouse
	JAW 1 6 1973